



# RESIDENTIAL ADA DOOR

Plastpro's fiberglass entry doors provide beautiful and functional designs that you can rely on. Featuring a variety of rich, grain textures or simple, smooth finishes, our doors require less maintenance, offer longer warranties, and are more energy efficient than traditional wood entry doors.

Every part of the Plastpro door design is intentionally built for superior performance. Our fiberglass material and exclusive HydroShield Technology protect against moisture related damage by creating a fully composite barrier that encases the door on all six sides. Our doors also feature a unique, full-length LVL block that provides increased security both through its rigidity and by allowing the installation of a greater range of door locks and hardware. Meanwhile, the high density, polyurethane foam core enhances the door's soundproofing capabilities and provides insulation up to six times greater than wood doors.

In addition to these standard features, our Residential ADA doors are offered in a variety of compliant styles. The Residential ADA Series features a 10.25" bottom rail that allows for a generously sized kick plate (up to 10" tall) to be installed on a range of our popular doors, in many designs and heights. These doors are available in 2'10", 3'0", and 3'6" widths that fit the ADA required 32" minimum clear opening. From Modern and White Oak, to Craftsman and Nova options, Plastpro brings you accessible, high-quality products that suit any style home. We can also include reinforced blocking through a special order.

## PLASTPRO'S QUALITY

### FIBERGLASS REINFORCED DOOR SKINS 1

*These skins require little maintenance and will not splinter, dent, warp, rot, or rust. They can be painted or stained, and we provide a variety of panel designs in woodgrain and smooth skins.*

### FULL-LENGTH COMPOSITE STILES 2

*Our full-length, composite stiles protect the door from external moisture to prevent warping or rotting. They have twice the screw-holding strength of wood.*

### COMPOSITE TOP & BOTTOM RAIL 3


*High strength, composite top and bottom rails prevent moisture from seeping into the door and stop the buildup of mold.*

### FULL-LENGTH LOCKBLOCK 4

*Plastpro's full length LVL runs from the top to the bottom of the door. This adds unparalleled rigidity and structural support, protecting the door from being kicked in. Our LVL also accommodates the placement of any type of lock for further security.*

### POLYURETHANE FOAM CORE 5

*Our advanced CFC-free, high density, polyurethane foam core enhances the door's soundproofing capabilities and insulation.*



## RESIDENTIAL ADA FEATURES

### 6 BOTTOM RAIL TO ACCOMMODATE 10" KICK PLATE

*To protect your door and enhance accessibility, this 10.25" bottom rail allows the installation of a kick plate, up to 10" tall.*

### 7 REINFORCED BLOCKING (OPTIONAL ADDITION)

*Add reinforced blocking to install ADA hardware- including panic bar hardware and an exit rim. With a second full length LVL on the right side of the door and extra blocking along the top, this durable addition of wood and composite material to key areas increases support for heavy hardware.*


*Please note: these doors are designed to increase accessibility in a residential home for your convenience. Plastpro also has a line of Commercial ADA Doors (p.6) that meet official ADA standards, with appropriately sized top rails and face stiles.*






2'8" • 3'0"

**DMG46**  
Modern Oak




3'0"

**DMS1L**  
Modern Smooth



3'0"

**DMS1R**  
Modern Smooth



2'8" • 2'10" • 3'0"

**DRF1K**  
Craftsman Fir



2'8" • 2'10" • 3'0"

**DRF2K**  
Craftsman Fir



2'8" • 2'10" • 3'0"

**DRF3J**  
Craftsman Fir



2'8" • 2'10" • 3'0"

**DRF50**  
Craftsman Oak



2'8" • 2'10" • 3'0"

**DRS1K**  
Craftsman Smooth



2'8" • 2'10" • 3'0"

**DRS2K**  
Craftsman Smooth



2'8" • 2'10" • 3'0"

**DRS3J**  
Craftsman Smooth




2'8" • 2'10" • 3'0"

**DRS50**  
Craftsman Smooth



2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"

**DRG00**  
Oak



2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"

**DRS00**  
Smooth



2'8" • 2'10" • 3'0"

**DRS22**  
Smooth



3'0"

**DRS6B**  
Smooth



2'0" • 2'6" • 2'8" • 3'0"

**DRF1DL**  
Nova 45 Fir



2'0" • 2'6" • 2'8" • 3'0"

**DRS1DL**  
Nova 45 Smooth



2'6" • 2'8" • 2'10" • 3'0"

**DRS1EL**  
Nova 90  
Brushed Smooth



2'6" • 2'8" • 2'10" • 3'0"

**DRB1E**  
ONYX Nova 90  
Brushed Smooth



2'0" • 2'6" • 2'8" • 2'10" • 3'0"

**DRS15L**  
Nova 90  
Brushed Smooth



2'0" • 2'6" • 2'8" • 2'10" • 3'0"

**DRB1S**  
ONYX Nova 90  
Brushed Smooth

## GLASS OPTIONS



LowE 272



Translucent



Mini Blind

# 7'0" OFFERINGS

2'6" • 2'8" • 2'10" • 3'0"



**DRG0070**  
Oak

3'0"




**DRG4170**  
Oak

2'8" • 2'10" • 3'0"



**DRG6170**  
Oak

2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"



**DR50070**  
Smooth

2'8" • 2'10" • 3'0"



**DR52270**  
Smooth

3'0"



**DR54170**  
Smooth

2'8" • 2'10" • 3'0"



**DR56170**  
Smooth



2'8" • 3'0"

**DMG4680**  
Modern Oak



2'8" • 2'10" • 3'0"

**DR51K80**  
Craftsman Smooth



2'8" • 2'10" • 3'0"

**DR52K80**  
Craftsman Smooth



3'0" • 3'6"

**DRF3F80**  
Craftsman Fir



3'0" • 3'6"

**DR53F80**  
Smooth




2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"

**DRG0080**  
Oak



2'8" • 2'10" • 3'0"

**DRG6180**  
Oak



2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"

**DR50080**  
Smooth



2'8" • 2'10" • 3'0"

**DR52G80**  
Smooth




2'8" • 2'10" • 3'0"

**DR52280**  
Smooth




2'8" • 2'10" • 3'0"

**DR56180**  
Smooth



2'0" • 2'6" • 2'8" • 3'0"

**DRF1D80L**  
Nova 45 Fir



2'0" • 2'6" • 2'8" • 3'0"

**DR51D80L**  
Nova 45 Smooth




2'6" • 2'8" • 2'10" • 3'0"

**DR51E80L**  
Nova 90  
Brushed Smooth



2'6" • 2'8" • 2'10" • 3'0"

**DRB1E80**  
ONYX Nova 90  
Brushed Smooth



2'0" • 2'6" • 2'8" • 2'10" • 3'0"

**DR51S80L**  
Nova 90  
Brushed Smooth



2'0" • 2'6" • 2'8" • 2'10" • 3'0"

**DRB1S80**  
ONYX Nova 90  
Brushed Smooth

## GLASS OPTIONS



LowE 272



Translucent



Mini Blind




## COMMERCIAL ADA DOOR

This model complies with ADA standards and can accommodate ADA required hardware for easy operation. Reinforced blocking and closures allow the following flexible hardware to be installed: panic bars, reinforced arm closures, and exit rim devices. These devices are easy to grasp with one hand and don't require tight grasping or twisting to operate.

### FEATURES & BENEFITS


- 1 REINFORCED STILES**  
For Panic Bar hardware and Exit Rim devices.
- 2 6.5" TOP RAIL**  
Accommodates regular and parallel arm closures.
- 3 5.5" FACE STILES**  
Accommodates all types of commercial hardware (including 2-3/4" backset 161 prep and mortise locks).
- 4 BOTTOM RAIL TO ACCOMMODATE 10" KICK PLATE**  
To protect your doors and enhance accessibility, this 10.50" bottom rail allows the installation of a kick plate, up to 10" tall.



### AVAILABLE FOR SPECIAL ORDER

Sound Barrier Glass (STC:34)

3'6" and 4'0" widths







[www.plastproinc.com](http://www.plastproinc.com)

5200 W. Century Blvd, 9th Floor ■ Los Angeles, CA 90045

Phone: (800) 779-0561 ■ Fax: (310) 693-8620



© 2024 Plastpro Inc. All Rights Reserved

Product # MKLRCA2024 Updated June 2024