



TABLE OF CONTENTS

Why Plastpro 1-3
PF Frames..... 4-7
Factory Finish 8-11
Deco Glass 12-25

Doors by Performance

Fire Rated 26-31
HVHZ Impact Rated..... 32-39
ADA Commercial & Residential..... 40-45

Doors by Style

Modern Series 46-47
Nova Series 48-55
ONYX Series..... 56-61
Craftsman Series..... 62-67
Rustic Series 68-71

Doors by Texture

Smooth Series 72-75
Brushed Series..... 76-77
Oak Series 78-81
White Oak Series..... 82-83
Mahogany Series 84-85
Limited Series..... 86-87

Stain & Paint Guides..... 88
Testing Information..... 89





Doors are often chosen for their aesthetic qualities; however, their purposes strive beyond simply adding a cohesive look to our homes. They reflect our style, grant privacy, and offer protection for the people we value most in our lives. Our front doors are the gateway for welcoming guests, loved ones, and friends. From ushering us into the start of the day and later welcoming us back, doors are an essential and inviting piece to every house. We want you to choose a door that guarantees security, accommodates your needs, and most importantly, best represents you.

Since 1994, Plastpro has always believed in providing a superior product with the best value, technology and commitment to our customers. We know how important it is to provide quality service and valuable resources to those in the industry. Wood and steel doors were historically preferred in the industry, but both come with long-term problems. Wood doors are susceptible to rot, warp, mildew and weather damage which require extensive maintenance to prevent these issues. Steel doors can be cost effective, but can easily damage, dent, ding, and rust requiring the steel door to be replaced more frequently negating any initial savings. Fortunately, Plastpro's fiberglass doors have become the best modernized solution for these longevity issues. They withstand weather damage, require minimal maintenance, and offer higher performance ratings. Our exclusive HydroShield Technology protects our doors against moisture and humidity infiltration by creating a fully composite barrier that encases and protects the door on all six sides. Plastpro doors' internal polyurethane foam serves as a strong insulation from the outdoor elements of cold and heat. We are the first company to introduce our signature fiberglass doors with composite stiles and rails, which have twice the screw-holding strength of wood. Plastpro doors feature a full length LVL (Laminated Veneer Lumber) block that provides stronger structural integrity and allows a range of door locks and hardware to be installed for increased security. We also offer our uniquely formulated PF (Polyfiber) Frames as a structurally sound and longer-lasting alternative to traditional door jambs. With both a Plastpro door and PF Frame, you create an impenetrable entryway. Plastpro products have the durability and design to protect any home.

From the beginning, we've been dedicated to providing superior products and supporting our community we serve in. We believe in making a difference in the world by creating authentic, positive change for our employees, customers and communities. We've continuously partnered with Habitat for Humanity to create affordable, green houses for low-income families across the nation. More than 500 doors have been donated from Plastpro to various chapters of Habitat for Humanity and other non-profit organizations. When you buy from Plastpro, not only do you acquire a quality door, you also aid us in giving back to others.



Our exclusive HydroShield Technology protects our doors against moisture and humidity infiltration by creating a fully composite barrier that encases and protects the door on all six sides. It prevents warping, delamination, corrosion, rotting, and the buildup of mold and mildew. When paired with our PF (Polyfiber) Door Frames, our doors with HydroShield Technology create an impenetrable entryway.

BACKED BY WARRANTY

We are proud to offer one of the best warranties in the industry. Plastpro products are held to high standards. We stand behind our products and guarantee the best quality to meet your performance expectations.


Fir Grain - Leeward Stain




Oak Grain - Woodridge Stain



Rustic Grain - Hill Country Stain



Mahogany Grain - Yankee Barn Stain





1 FIBERGLASS REINFORCED DOOR SKIN

Our exclusive formula is measured precisely to ensure each skin is produced to the highest quality. We offer many design options, including customizable panel configurations. The skins require little maintenance and will not splinter, dent, warp, rot, or rust. Choose a door skin from a variety of grains that can be painted or stained.

2 FULL-LENGTH COMPOSITE STILES

Our full-length, composite stiles protect the door from external moisture to prevent warping or rotting. They have twice the screw-holding strength of wood.

3 COMPOSITE TOP & BOTTOM RAILS


High-strength, composite top and bottom rails prevent moisture from seeping into the door and prevent the buildup of mold.

4 EXTENDED LOCKBLOCK

Plastpro's full-length LVL allows any type of lock to be placed for increased security. Our 8/0 doors have a steel bar in addition to the LVL to help increase the structure's rigidity.

5 POLYURETHANE FOAM CORE

Our advanced, CFC-free, high-density, polyurethane foam core enhances the door's soundproofing capabilities and provides insulation up to six times greater than wood doors.





PF™ DOOR FRAMES

To have a complete entry system, it is important to consider the material of the door frame. Many doors are hung in either wood or steel frames, which are prone to the same problems as the doors themselves. Wood frames can warp, rot, and crack, while steel frames can rust and dent. Repeatedly repairing your door frame is inconvenient, so it is best to use an alternative material.

Plastpro's PF (Polyfiber) Door Frames offer an innovative alternative to traditional door jambs. Our uniquely formulated door frame combines the beauty of wood with the strength of steel. The material is durable, long-lasting, and is more thermally resistant than either wood or metal. The installation of the advanced system is the same as traditional installations. However, when a fiberglass door is used with a PF frame, they create an impenetrable doorway.

FEATURES AND BENEFITS

- Hydro Shield Technology is moisture-resistant and prevents warping, rotting, and splitting.
- Frame is termite-resistant at all points along the structure.
- Has twice the screw holding power of traditional wood door frames.
- More versatility in design. Available in various lengths and widths that can be stained as well as painted.
- Continuous piece with no finger joint and is 25 percent more rigid than wood frames.
- Maintenance free and energy efficient.

FRAME DECAY COMPARISON



PLASTPRO PF™ DOOR FRAME

*with Hydrosshield Technology™



TRADITIONAL WOOD FRAME

Susceptible to rotting, warping, and decay

PRODUCT LINE OVERVIEW



4 7/16" DOOR JAMB

4 7/8" DOOR JAMB

5 1/4" DOOR JAMB

6 7/16" DOOR JAMB

6 7/8" DOOR JAMB



7 1/4" DOOR JAMB

1 1/4" x 3" JAMB EXTENSION

WM180 BRICK MOULD

WM176 FL. BRICK MOULD

1" x 2" STUCCO MOULD



NAILING FIN

J-CHANNEL

FLAT CASING

FLAT CASING J-CHANNEL

TRIM BOARDS

• 1" x 2" • 1" x 4"



TRANSOM SILLS

MULL POSTS

MULL POST COVERS (EXT.)

MULL POST CAP (MULL TRIP)

• 4 7/16" • 6 7/16"

• 1 1/2" x 3 9/16" x 2 1/2"
• 1 1/2" x 4 3/8" x 2 1/2"
• 1" x 3 9/16" x 2"
• 1" x 4 3/8" x 2"

• 1 1/2" x 1" • 2" x 1"




STORM DOOR ADAPTERS

SIDELITE STOPPER

ASTRAGAL

• 1" x 2 1/2" • 1" x 3"

GRAINING CHART



Plastpro's Polyfiber (PF) Door Frames are made of the highest quality, composite material and are available in a variety of grain options that match our doors. For a detailed list of available grains and products, please refer to the chart below.

	OAK GRAIN	FIR GRAIN	MAHOGANY	PRIMED	WHITE CAPPED	PVC - WHITE
4 9/16" DOOR FRAME	●	●	●	●	●	
4 7/8" DOOR FRAME	●	●	●	●	●	
5 1/4" DOOR FRAME	●			●	●	
6 9/16" DOOR FRAME	●	●	●	●	●	
6 7/8" DOOR FRAME	●	●	●	●	●	
7 1/4" DOOR FRAME	●			●	●	
WM180 BRICK MOULD	●	●	●	●	●	
WM176 FLORIDA BRICK MOULD	●			●		
1" x 2" STUCCO MOULD				●		
NAILING FIN	●			●	●	
J-CHANNEL	●			●	●	
FLAT CASING	●			●	●	
FLAT CASING J-CHANNEL	●			●	●	
TRIM BOARDS						●
TRANSOM SILLS	●	●	●	●	●	
MULL POSTS	●		●		●	
MULL POST COVERS (EXTERIOR)	●			●	●	
MULL POST CAP	●					●
STORM DOOR ADAPTERS	●	●	●	●	●	
DOOR FRAME EXTENSIONS	●	●	●	●	●	
SIDELITE STOPPER	●			●		
ASTRAGAL						●



plastpro® OPTIMUM


Factory-finished fiberglass doors and jambs. Ready to be part of your home.

A front door is more than a building block of a home—it's the gateway into your life for everyone who passes through. As such, it should represent you in every way, especially your style. Now with Plastpro Optimum factory-finished doors and jambs, you get the durability and security of a Plastpro fiberglass door without the hassle of painting or staining it yourself. Available in the latest Sherwin-Williams exterior colors and precisely applied with our new top-of-the-line paint system, you can rest easy knowing your home is protected with a Plastpro Optimum door.




PRECISION APPLICATION

The state-of-the-art SuperFici Optimum line applies every step of the paint or stain process with robotic accuracy. Precise application in a controlled environment delivers consistent, beautiful results at a significantly faster pace—even compared to the most seasoned professional. At full capacity, the Optimum line can produce up to 28 doors per hour, compared to just 10—20 doors per week when finished by hand.



3 STEP STAIN PROCESS

The staining process for our wood grain products uses a three-coat system consisting of a base coat, stain, and topcoat. The base coat establishes the door's consistent underlying color. The stain is brushed along the grain using robotic precision to give the product a natural wood-grain aesthetic. Finally, the topcoat provides the desired durability and sheen.




STAIN OPTIONS

POWERED BY  **SHERWIN-WILLIAMS.**



Hill Country




Leeward



Yankee Barn




Woodridge



Crossroads

PAINT PROCESS

Solid Colors are applied using Sherwin-Williams VP Siding Plus, an all-in-one system that combines paint color and topcoat. Each door enters our state-of-the-art paint booth and is painted and finished in one easy step.



COLOR OPTIONS

With the addition of the Paint Kitchen to the SuperFici Optimum line, we are now able to offer any standard Sherwin-Williams exterior paint color. By increasing the number of available lines, the Paint Kitchen optimizes color changeovers, improves efficiency, and allows for shorter production runs with minimal downtime. Contact your local sales representative for details on lead times, pricing, order requirements, and processing.

The full power of Sherwin-Williams at your finger tips!







SHERWIN-WILLIAMS®



2026 POPULAR COLORS

POWERED BY  **SHERWIN-WILLIAMS.**



CUSTOM COLOR MATCH AVAILABLE*

Need a specific color? We send your sample to the professionals at Sherwin-Williams to formulate a color match for your order.

**Color match orders must be for 100 doors or more.*





KENSINGTON • KEN342P

DOORLITE SYSTEMS

Doorlites are an essential, eye-catching piece to every entryway. Their fun and decorative nature sets the stage for the rest of the home and creates a welcoming passage from public space to private abode. Our exclusive glass designs are available in many styles, textures, and opacities that aid in elevating the look and value of your home. Our designs are guaranteed to match your desired privacy preference and style.


The structure and strength of our doorlites is unmatched. Composed of a piece of decorative glass sealed between two pieces of tempered safety glass, Plastpro's doorlites provide exceptional security, soundproofing, and thermal performance. We also can't forget our state-of-the-art Warm Edge spacer system which provides a seal that protects and insulates your door and home for years to come. Unlike other competitors, our metal casing includes a gasket that cushions and protects the glass from chipping, cracking, and rattling during door movement.

INSULATING SYSTEM

All Plastpro Decorative Doorlites are made with Super Spacer® Cushion Edge™, a flexible, U-shaped, silicone foam tape product used to wrap around and cushion our center decorative panel. Featuring a vapor barrier backing, the product, when used in combination with Hot Melt butyl, provides a superior Warm-Edge seal.

Features and Benefits

- Warm-Edge Benefit: Superior silicone foam insulation, low thermal conductivity
- Silicon Foam Features: Excellent UV resistance and extreme temperature performance
- Dual-Seal Performance: Chamfered corners for increased sealant depth
- Tempered Safety Glass for your peace of mind



*This illustration applies to our triple pane glass only.

GLASS CAMING OPTIONS

Our exclusive glass designs are offered with different coming options to match a variety of hardware finishes.



WROUGHT IRON



PATINA



ZINC

CAMELIA


















CAMING: WROUGHT IRON **TRANSOM:** AVAILABLE

Camelia's wrought iron curves create symmetry, uniformity, and a sense of balance. Against a waterfall textured background, the design gives the exterior of your home a modern and sophisticated charm, while delivering the ultimate level of privacy.

1. Wrought Iron
2. Waterfall Tempered Glass



AVAILABLE SIZES & CUTOUT CODES

						
342 22" x 48"	344 24 1/4" x 38"	346 29 3/8" x 50 1/4"	3R4 24 1/4" x 38"	3R5 25 3/8" x 50 1/4"	3R6 29 3/8" x 50 1/4"	8C1 8" x 41"
						
8C2 9 3/4" x 41"	FL1 7" x 64"	FL2 8" x 80"	FL5 20" x 64"	FL6 20" x 80"	FL7 22" x 64"	FL8 22" x 80"
						
	TR1R 63" x 12"					
						
HL6 25 1/2" x 50"	TR2R 66 1/2" x 13"					

PRISCILLA


















CAMING: WROUGHT IRON TRANSOM: AVAILABLE

Priscilla's smooth, swirl design pays tribute to Renaissance style. A combination of wrought iron and bubble glass lend the design a touch of grandeur, which is perfect for adding elegant flair to any home.

1. Wrought Iron
2. Little Bubble Tempered Glass



AVAILABLE SIZES & CUTOUT CODES

						
342 22" x 48"	344 24 1/4" x 38"	346 29 3/8" x 50 1/4"	3R4 24 1/4" x 38"	3R5 25 3/8" x 50 1/4"	3R6 29 3/8" x 50 1/4"	8C1 8" x 41"
						
8C2 9 3/4" x 41"	FL1 7" x 64"	FL2 8" x 80"	FL5 20" x 64"	FL6 20" x 80"	FL7 22" x 64"	FL8 22" x 80"
		TR1R 63" x 12"				
HL6 25 1/2" x 50"	TR2R 66 1/2" x 13"					

ARTESANO BREEZE

CAMING: ZINC TRANSOM: AVAILABLE

Artesano's subtle hint of amber colored glass creates a warm, welcoming feeling in any home. This arrangement is the ideal balance between a simple pattern and an artful combination of textures.


















- 1. Clear Hammer (100HS) 3. Clear Bevel
- 2. Zinc Caming 4. Sea Spray



PRIVACY RATING
INCREASING OBSCURITY ----->



AVAILABLE SIZES & CUTOUT CODES

						
341	342	8C1	8C2	FL1	FL2	FL5
8" x 48"	22" x 48"	8" x 41"	9 3/4" x 41"	7" x 64"	8" x 80"	20" x 64"
						
FL7	FL8	HL2	HL3	HL4	TL1	TL3
22" x 64"	22" x 80"	8" x 36"	20" x 36"	22" x 36"	25 1/2" x 8 1/4"	25" x 15"
						
	TR1R					
	63" x 12"					
						
TL5	TR2R					
20" x 8 1/4"	66 1/2" x 13"					

BRENTWOOD


CAMING: ZINC OR PATINA **TRANSOM:** AVAILABLE

A classically inspired arrangement, our Brentwood glass epitomizes style. With bevel swirls and a bold centerpiece, all outlined by a crystal granite border, Brentwood can be appreciated in any home.



















- 1. Baroque
- 2. Clear Bevel
- 3. Bright Zinc or Patina Caming
- 4. Granite



PRIVACY RATING
INCREASING OBSCURITY ----->



AVAILABLE SIZES & CUTOUT CODES

						
341	342	3V1	3V2	3V3	8C1	8C2
8" x 48"	22" x 48"	7" x 39 1/2"	16.78" x 38.72"	13" x 53"	8" x 41"	9 3/4" x 41"
						
8C3	9P1	FL1	FL2	FL7	FL8	HL2
9 1/2" x 57 1/4"	7 1/2" x 18 1/2"	7" x 64"	8" x 80"	22" x 64"	22" x 80"	8" x 36"
			TR1R		TR2R	
HL4	TL3		63" x 12"			
22" x 36"	25" x 15"					
		TR2R				
		66 1/2" x 13"				

CASTILE


CAMING: PATINA TRANSOM: AVAILABLE

Inspired by the historic Spanish kingdom, Castile is an ornate, baroque style glass that balances the intricacy of its centerpiece with a straight-lined, beveled border. Castile is the epitome of modern design.




















- 1. Granite
- 2. Baroque
- 3. Patina Caming
- 4. Beveled



PRIVACY RATING
INCREASING OBSCURITY ----->



AVAILABLE SIZES & CUTOUT CODES

						
341	342	343	3V1	3V2	3V3	8C3
8" x 48"	22" x 48"	25" x 48"	7" x 39 1/2"	16.78" x 38.72"	13" x 53"	9 1/2" x 57 1/4"
						
FL1	FL2	FL5	FL7	FL8	HL2	HL3
7" x 64"	8" x 80"	20" x 64"	22" x 64"	22" x 80"	8" x 36"	20" x 36"
				TR1R		TR2R
HL4	HL6	HR1				
22" x 36"	25 1/2" x 50"	22" x 10"	63" x 12"		66 1/2" x 13"	

KENSINGTON


CAMING: PATINA TRANSOM: AVAILABLE

Kensington brings a classic, English charm to any door. A combination of frosted glass and subtle line patterns creates a distinctly beautiful glass.













- 1. 100 Water
- 2. Clear Bevel
- 3. Narrow Reed
- 4. Sandblasted Glass
- 5. Patina Caming



PRIVACY RATING
INCREASING OBSCURITY ----->



AVAILABLE SIZES & CUTOUT CODES

						
341	342	FL1	FL2	FL5	FL7	FL8
8" x 48"	22" x 48"	7" x 64"	8" x 80"	20" x 64"	22" x 64"	22" x 80"
						
HL2	HL3	HL4	TR1R			
8" x 36"	20" x 36"	22" x 36"	63" x 12"			
						
			TR2R			
			66 1/2" x 13"			

SOLSTICE

CAMING: PATINA TRANSOM: AVAILABLE

Our Solstice pattern is a beautiful, simple arrangement of frosted glass bordered by patina coming- designed to leave a lasting impression.














- 1. Sable 3.0 MM Outer Border
- 2. Clear Pencil Bevel for Inner Border
- 3. Sable Bevels Center Background
- 4. Patina Caming



PRIVACY RATING
INCREASING OBSCURITY ----->



AVAILABLE SIZES & CUTOUT CODES

						
341 8" x 48"	342 22" x 48"	FL1 7" x 64"	FL2 8" x 80"	FL5 20" x 64"	FL7 22" x 64"	FL8 22" x 80"
						
HL2 8" x 36"	HL3 20" x 36"	HL4 22" x 36"	TL3 25" x 15"	TR1R 63" x 12"		
						
				TR2R 66 1/2" x 13"		

SPRING

CAMING: PATINA TRANSM: AVAILABLE

This chevron pattern arrangement incorporates clean lines and two-toned glass colors. Named for the pale gray, water-like glass texture that gives a sense of renewal reminiscent of spring.














- 1. Light Water
- 2. Clear Chord
- 3. Patina Caming
- 4. Pale Gray Water



PRIVACY RATING
INCREASING OBSCURITY ----->



AVAILABLE SIZES & CUTOUT CODES

						
341	342	9P1	FL1	FL2	FL7	HL2
8" x 48"	22" x 48"	7 1/2" x 18 1/2"	7" x 64"	8" x 80"	22" x 64"	8" x 36"
						
HL4	HL6	TL1	TL3	TR1R	TR2R	
22" x 36"	25 1/2" x 50"	25 1/2" x 8 1/4"	25" x 15"	63" x 12"	66 1/2" x 13"	



SOLUTION DOORLITE SERIES


Our Solution Doorlite Series is perfect for those who want a front door that stands out due to its unique features. At Plastpro we are determined to expand the window of opportunity and as a result, we are thrilled to offer multiple sizes and six different glass options to choose from. Create and customize a design that embodies you.

Got a tight schedule? No problem. Our brilliant screwless design saves valuable installation time by eliminating holes and plugs, so you can focus on more important matters throughout your day. The frame also features a patented interlocking joint and compression seal that adheres to the door and creates a powerful compression seal and bond. It safely locks decorative glass in place, while beautifully illuminating and showcasing the features of the glass. We mean it when we emphasize top-notch structure you won't find anywhere else.

We created the Solution Doorlite Series to find the perfect accessory that will seamlessly complement our one-and-only Shaker doors from the Craftsmen Series. This beautiful line is available in a clarifying white or tan textured, vertical, grain pattern meant to add a fine touch to your entryway.

FEATURES AND BENEFITS

- No unsightly plug or screw holes
- Available in white or tan
- Textured, vertical grain pattern
- Matches various architectural styles
- Shaker-style low profile
- Patented frame system
- Built to resist warping
- Easy installation- saves on labor cost



TEXTURED GLASS OPTIONS



CLEAR / LowE



WHITE LAMINATE



SANDBLAST



SABLE




NARROW REED


FRAME OPTIONS



7" x 64" *




22" x 15" *
Divided 3 & 6 Lite Available



22" x 10"



22" x 8"



22" x 3"




8" x 36" *



22" x 36" *




8" x 8"



8" x 6"

* AVAILABLE WITH DECORATIVE GLASS OPTIONS.

FRAME CONFIGURATION EXAMPLES



STAGGERED 5 LITE
8" x 6"



DIAMOND 4 LITE
8" x 8"



STAGGERED 4 LITE
8" x 8"



CENTERED 4 LITE
8" x 8"



STAGGERED 3 LITE
3" x 22"




MODERN 4 LITE
22" x 3"



MODERN 6 LITE
22" x 3"



FOUR LITE
22" x 8"



FIVE LITE
22" x 8"



FOUR LITE
22" x 10"



THREE LITE
22" x 15"




**SINGLE TOP LITE W/
4 LITE BOTTOM**
22" x 15" & 22" x 3"



SINGLE TOP LITE
22" x 15"



SINGLE LITE
7" x 64"



TWIN FULL LITE
7" x 64"



STAGGERED TWIN LITE
8" x 36"



EIGHT LITE
8" x 8"



STACKED 6 LITE
3" x 22"

DOOR COLORS AND CUTOUT CONFIGURATIONS ARE FOR VISUALIZATION PURPOSES ONLY.
CHECK WITH YOUR LOCAL DEALER FOR AVAILABILITY.



Smooth Series • DRS0080 • 22" x 8" Solution Frame w/ Translucent Glass



FIRE RATED DOORS

Fire, one of the four elements is an important part of our world. However, its flames have the potential to cause severe physical damage. Fires not only have a negative impact on the environment, they also impact the lives of people and their property. It is essential to have the best and safest products to protect you and your loved ones around this element. To minimize the severity of a fire, our Plastpro Fire Rated Doors are extremely durable. Made with fire-resistant composite, our doors are tested and comply with safety and performance standards to withstand fire for a minimum of 20 minutes. Our doors add extra protection to your home without ever sacrificing style.

ALL DOORS ARE SHOWN PRE-FINISHED



FIRE RATED

- 1 EXTENDED LOCKBLOCK**
The full length LVL increases the rigidity of the door.
- 2 FIRE RETARDANT COMPOSITE**
Our HFO Polyurethane fire rated foam system is specially formulated to withstand fire.
- 3 FULL LENGTH COMPOSITE STILES**
Our full-length composite stiles protect the door from external exposure.
- 4 PLASTPRO® EXCLUSIVE SMC SKIN**
Our skin material is specially formulated and comes in various panel configurations.
- 5 COMPOSITE BOTTOM RAIL**
High strength rails prevent moisture from seeping into the door.



TESTING RESULTS

Our 20 minute Fire Rated doors are tested for single swing fiberglass doors. Tests are done to multiple standards and bear the Warnock Hersey Mark of product safety, performance, and quality.

ULC 10 C / NFPA 252 / ASTM E 2074 | FIRE RATED CSFM 12-7A-1 | EXTERIOR WILDFIRE EXPOSURE TEST


- 6'8" Doors are tested with Wood, Steel & 20 min Fire Rated PFT™ Door Frame
- 7'0" Doors are tested with Wood & 20 min Fire Rated PFT™ Door Frame
- 8'0" Doors are tested with Wood & 20 min Fire Rated PFT™ Door Frame
- All Doors are tested for single units only

FIRE RATED PFT™ DOOR JAMBS

Our exclusive PFT™ Door Jambs add needed protection for your entry units. Also made with fire retardant composite, Plastpro Poly-Fiber Jambs are tested and certified to withstand fire for 20 minutes. Complete your protection by fitting your fiberglass door with PFT™ Door Jambs.



- All PFT™ Door Jamb are tested for single swing units only.



SMOOTH

FIRE RATED



DRS002
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"


DRS00702
3'0" x 7'0"

DRS00802
3'0" x 8'0"

DRS2D802
2'8" x 8'0"
3'0" x 8'0"

DRS2G2
2'8" x 6'8"
3'0" x 6'8"

DRS2G802
2'8" x 8'0"
3'0" x 8'0"



DRS222
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

DRS22702
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"

DRS292
3'0" x 6'8"

DRS412
3'0" x 6'8"

DRS41702
3'0" x 7'0"

DRS602
2'6" x 6'8"
3'0" x 6'8"

DRS60802
2'6" x 8'0"
2'8" x 8'0"
3'0" x 8'0"



DRS632
3'0" x 6'8"

BRUSHED



DRZ002
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"

DRZ2B2
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

DRZ2D2
 2'8" x 6'8"
 3'0" x 6'8"

DRZ22802
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

DRZ602
 3'0" x 6'8"

DRZ612
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

DRZ61702
 3'0" x 7'0"



DRZ632
 2'8" x 6'8"



FIRE RATED

FIRE RATED



CRAFTSMAN



SMOOTH - SHAKER PANEL

6'8"	8'0"	6'8"	8'0"	6'8"	6'8"	6'8"
DRS1K2 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	DRS1K802 2'8" x 8'0" 3'0" x 8'0"	DRS2K2 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	DRS2K802 2'8" x 8'0" 3'0" x 8'0"	DRS3F2 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	DRS3J2 2'8" x 6'8" 3'0" x 6'8"	DRS502 2'8" x 6'8" 3'0" x 6'8"

OAK

6'8"



DRG602
3'0" x 6'8"

RUSTIC

6'8"




DRA2A2
3'0" x 6'8"

60 MINUTE FIRE RATED

Only available by quote. Extended lead times apply.

6'8"



DR5006
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

6'8"




DR5606
2'6" x 6'8"
3'0" x 6'8"

KEY: ■ STOCKING SIZE ■ EXTENDED LEAD TIME



FIRE RATED



HVHZ IMPACT DOORS

Plastpro's High Velocity Hurricane Zone (HVHZ) Impact Doors are built to meet the most stringent hurricane protection standards in the nation — specifically for Dade and Broward Counties in Florida, where the strongest wind and impact requirements apply. These doors feature a thicker fiberglass skin and reinforced internal structure, engineered to withstand powerful debris impact during hurricanes or tropical storms. This ensures maximum protection from both wind pressure and flying debris. Designed with HydroShield Technology to prevent moisture absorption and a closed cell rigid polyurethane foam core for superior insulation, HVHZ doors offer unmatched strength, durability, and energy efficiency without sacrificing style.

ALL DOORS ARE SHOWN PRE-FINISHED

TESTING STANDARDS

Missile impact refers to the testing procedure where an 8-foot, 9 lb. 2x4 lumber is fired at the door at 50ft/s. This methodology is used for both HVHZ and standard impact testing, it is the pass-fail criteria that differs.

HVHZ IMPACT

To pass HVHZ testing, no air infiltration can pass through the impact area created on the surface of the door after the missile impact. This ensures maximum protection from both wind pressure and flying debris.

Plastpro HVHZ Impact Doors:

- Thicker fiberglass skin
- Reinforced internal structure
- Meet HVHZ requirements and can be used in Dade and Broward Counties


STANDARD IMPACT

To pass standard impact testing, a 3-inch sphere cannot fit through any resulting cracks in the door after the missile impact. This confirms it can resist debris while maintaining structural integrity.

Standard Plastpro Opaque Doors*:

- Meet standard impact and Wind Borne Debris Region (WBDR) requirements
- Can be used in hurricane prone regions *outside* of Dade and Broward Counties

**Opaque door refers to a door without glass*



TO SEE THE FULL FLORIDA BUILDING CODE APPROVAL DOCUMENT, VISIT WWW.FLORIDABUILDING.ORG THE NOVA 90 FL# IS 28093, 28095 & 29714.

RUSTIC



OAK




SMOOTH



BRUSHED



NOVA 90




FEATURES AND BENEFITS

- 1 COMPOSITE STILE CAP
- 2 STEEL BEAM (Hinge & Strike side, for extra rigidity in all 8'0" and HVHZ Impact models)
- 3 INSULATED 1" GLASS
- 4 COMPRESSION MOLDED FIBERGLASS SKIN
- 5 INTEGRALLY MOLDED GLASS STOP
- 6 WOOD BLOCKING (For structural support in HVHZ Impact models)
- 7 ADA COMPLIANT BOTTOM RAIL
- 8 COMPOSITE BOTTOM RAIL




STANDARD GLASS OPTIONS*

*Approximate representations, actual product may vary.



IMPACT LowE 366
Privacy Rating 1

L = STOCKING GLASS



IMPACT MINI BLIND

M = STOCKING GLASS



IMPACT TRANSLUCENT
Privacy Rating 10

T = STOCKING GLASS



IMPACT FLEMISH
Privacy Rating 5

F = STOCKING GLASS



IMPACT CHORD
Privacy Rating 8

C = STOCKING GLASS



IMPACT RAIN
Privacy Rating 9

R = STOCKING GLASS

FULL LITE



DRS1S1
 2'0" x 6'8" LM
 2'6" x 6'8" LM TR
 2'8" x 6'8" LM TR
 2'10" x 6'8"
 3'0" x 6'8" LM TR

7'0"



DRS1S70I
 2'6" x 7'0"
 2'8" x 7'0"
 3'0" x 7'0"

8'0"



DRS1S80I
 2'0" x 8'0" LM
 2'6" x 8'0" LM
 2'8" x 8'0" LM
 2'10" x 8'0"
 3'0" x 8'0" LM

SIDE LITES



SLS1S1
 1'0" x 6'8" LM
 1'2" x 6'8" LM

8'0"



SLS1S80I
 1'0" x 8'0" LM
 1'2" x 8'0" LM

3/4 LITE



DRS1E1
 2'6" x 6'8" L
 2'8" x 6'8" LT
 3'0" x 6'8" LT

8'0"



DRS1E80I
 2'6" x 8'0" LT
 2'8" x 8'0" LT
 3'0" x 8'0" LT

PANEL DETAIL



SIDE LITES



SLS1E1
 1'0" x 6'8" LT
 1'2" x 6'8" LT

8'0"



SLS1E80I
 1'0" x 8'0" LT
 1'2" x 8'0" LT

1/2 LITE



DRS1H1
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"

8'0"



DRS1H80I
 2'6" x 8'0"
 2'8" x 8'0"
 3'0" x 8'0"

PANEL DETAIL



SIDE LITES



SLS1H1
 1'0" x 6'8"
 1'2" x 6'8"

8'0"




SLS1H80I
 1'0" x 8'0"
 1'2" x 8'0"

ONYX




FEATURES AND BENEFITS

- 1 COMPOSITE STILE CAP
- 2 STEEL BEAM (Hinge & Strike side, for extra rigidity in all 8'0" and HVHZ Impact models)
- 3 INSULATED 1" GLASS
- 4 COMPRESSION MOLDED FIBERGLASS SKIN
- 5 INTEGRALLY MOLDED GLASS STOP
- 6 WOOD BLOCKING (For structural support in HVHZ Impact models)
- 7 ADA COMPLIANT BOTTOM RAIL
- 8 COMPOSITE BOTTOM RAIL




STANDARD GLASS OPTIONS*

*Approximate representations, actual product may vary.



IMPACT LowE 366
Privacy Rating 1

L = STOCKING GLASS



IMPACT MINI BLIND

M = STOCKING GLASS



IMPACT TRANSLUCENT
Privacy Rating 10

T = STOCKING GLASS



IMPACT FLEMISH
Privacy Rating 5

F = STOCKING GLASS



IMPACT CHORD
Privacy Rating 8

C = STOCKING GLASS



IMPACT RAIN
Privacy Rating 9

R = STOCKING GLASS

FULL LITE



DRB1SI
 2'0" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



DRB1S80I
 2'0" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

SIDE LITES



SLB1SI
 1'0" x 6'8"
 1'2" x 6'8"



SLB1S80I
 1'0" x 8'0"
 1'2" x 8'0"

3/4 LITE



DRB1EI
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



DRB1E80I
 2'6" x 8'0"
 2'8" x 8'0"
 3'0" x 8'0"




PANEL DETAIL

SIDE LITES



SLB1EI
 1'0" x 6'8"
 1'2" x 6'8"



SLB1E80I
 1'0" x 8'0"
 1'2" x 8'0"

1/2 LITE



DRB1HI
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



DRB1H80I
 2'6" x 8'0"
 2'8" x 8'0"
 3'0" x 8'0"



PANEL DETAIL

SIDE LITES



SLB1HI
 1'0" x 6'8"
 1'2" x 6'8"



SLB1H80I
 1'0" x 8'0"
 1'2" x 8'0"



ADA COMPLIANT DOORS

Plastpro offers a number of door models compliant with Residential and Commercial ADA standards. Our Commercial ADA doors feature extended top and bottom rails and added reinforcement to accommodate and support necessary hardware. While our Residential ADA doors feature a 10.25" bottom rail that allows for a generously sized kick plate (up to 10" tall) to be installed on a range of our popular doors, in many designs and sizes. Additionally, we can include reinforced blocking through a special order.

COMMERCIAL ADA DOORS

Plastpro's Commercial ADA Series complies with official ADA standards, offering accessible, durable, and attractive products suitable for public venues. These models feature extended top and bottom rails and added reinforcement to accommodate and support necessary hardware. Available in three heights, these functional doors also provide abundant natural light through the flush glazed glass full lite.



FEATURES & BENEFITS



- 1 REINFORCED STILES**
For Panic Bar hardware and Exit Rim devices.
- 2 6.5" TOP RAIL**
Accommodates regular and parallel arm closures
- 3 5.5" FACE STILES**
Accommodates all types of commercial hardware (including 2-3/4" backset 161 prep and mortise locks).
- 4 BOTTOM RAIL TO ACCOMMODATE 10" KICK PLATE**
To protect your door and enhance accessibility, this 10.50" bottom rail allows the installation of a kick plate, up to 10" tall.
- 5 REMOVABLE GLASS STOP**
Switch the glass as needed without changing the entire door.


RESIDENTIAL ADA DOORS

Our residential ADA doors are offered in a variety of compliant styles that are specially crafted to meet the needs of all guests. They feature a 10.25" bottom rail that allows for a generously sized kick plate (up to 10" tall) to be installed on a range of our popular doors, in many designs and sizes. These doors are available in 2'10", 3'0", and 3'6" widths that fit the ADA required 32" minimum clear opening. Additionally, we can include reinforced blocking through a special order.

MODERN



OAK



BRUSHED



SMOOTH



DRS6180
2'10" x 8'0"
3'0" x 8'0"



CRAFTSMAN



FIR GRAIN - SHAKER PANEL

6'8"	6'8"	8'0"	6'8"	6'8"
DRF1K 2'10" x 6'8" 3'0" x 6'8"	DRF2K 2'10" x 6'8" 3'0" x 6'8"	DRF3F80 3'0" x 8'0"	DRF3J 2'10" x 6'8" 3'0" x 6'8"	DRF50 2'10" x 6'8" 3'0" x 6'8"

SMOOTH - SHAKER PANEL

6'8"	8'0"	6'8"	8'0"	8'0"	6'8"	6'8"
DRS1K 2'10" x 6'8" 3'0" x 6'8"	DRS1K80 2'10" x 8'0" 3'0" x 8'0"	DRS2K 2'10" x 6'8" 3'0" x 6'8"	DRS2K80 2'10" x 8'0" 3'0" x 8'0"	DRS3F80 3'0" x 8'0" 3'6" x 8'0"	DRS3J 2'10" x 6'8" 3'0" x 6'8"	DRS50 2'10" x 6'8" 3'0" x 6'8"

NOVA 45

6'8"	8'0"	6'8"	8'0"
DRS1DL 3'0" x 6'8"	DRS1D80L 3'0" x 8'0"	DRF1DL 3'0" x 6'8"	DRF1D80L 3'0" x 8'0"

FIR GRAIN



ONYX

6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
DRB15 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	DRB1580 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	DRB1E 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	DRB1E80 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	DRB1H 3'0" x 6'8" 3'0" x 6'8"	DRB1H80 3'0" x 8'0" 3'0" x 8'0"

NOVA 90

6'8"	7'0"	8'0"	6'8"	8'0"	6'8"	8'0"
DRS15 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	DRS1570 2'10" x 7'0" 3'0" x 7'0" 3'6" x 7'0"	DRS1580 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	DRS1E 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	DRS1E80 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	DRS1H 3'0" x 6'8" 3'0" x 6'8"	DRS1H80 3'0" x 8'0" 3'0" x 8'0"

BRUSHED

KEY: ■ STOCKING SIZE ■ EXTENDED LEAD TIME



MODERN


There's something special about a clean, minimalistic modern look that magically draws us in, which explains why Plastpro had to launch the compelling Modern Series. An effortless, contemporary door design that makes any home's exterior profoundly refreshing. It all makes sense why this series lies in popular demand. Available in our oak grain and smooth doors, our simple panel details and single patterned glass adds a sharp flare to upscale the look of any home.

OAK GRAIN

SMOOTH

ALL DOORS ARE SHOWN PRE-FINISHED


OAK SOUTH BEACH DOOR



DMG46
2'8" x 6'8"
3'0" x 6'8"

DMG4680
2'8" x 8'0"
3'0" x 8'0"


OAK NAPOLI DOOR



DMG51
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


DMG5180
2'8" x 8'0"
3'0" x 8'0"

SMOOTH INFINITY DOOR



DMS5H
3'0" x 6'8"

SMOOTH BIENVENUE DOOR



DMS1R
3'0" x 6'8"

DMS1L
3'0" x 6'8"

Flush glazed door available open or with glass.

GLASS OPTIONS:



LowE





NOVA

Plastpro's Nova Series is an absolute stunner that will turn your entryway into the neighborhood's main attraction. Our Nova Series is most notable for the tall spotless glass that is directly glazed into the door to create a seamless blend between the glass and door. The large glass pane can be outlined in two models: the 45 with a traditional, Craftsman sticking, in a Smooth or Fir skin, and the 90 with a modern, Shaker sticking and Brushed Smooth finish. Welcome beautiful scenery, natural light, and most importantly your loved ones into a space that outsiders can't help but envy a little.

SMOOTH FINISH

FIR GRAIN




BRUSHED FINISH

ALL DOORS ARE SHOWN PRE-FINISHED

NOVA 45

FEATURES AND BENEFITS

- 1 COMPOSITE STILE CAP
- 2 FULL-LENGTH LVL (Hinge & Strike side, for extra rigidity)
- 3 INSULATED 3/4" GLASS (LowE 272)
- 4 COMPRESSION MOLDED FIBERGLASS SKIN
- 5 LEAK PROTECTION GLAZING TAPE
- 6 INTEGRALLY MOLDED GLASS STOP
- 7 HIGH INSULATION RIGID FOAM
- 8 ADA COMPLIANT BOTTOM RAIL
- 9 COMPOSITE BOTTOM RAIL



DRS1DL
 2'0" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"

DRS1D80L
 2'0" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 3'0" x 8'0"




DRF1DL
 2'0" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"

DRF1D80L
 2'0" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 3'0" x 8'0"




GLASS:
LowE 272
 Privacy Rating 1

NOVA 45 SDL KITS




FEATURES AND BENEFITS


- 1 Available in Smooth and Fir Grain finish.
- 2 Notched cutout pattern for perfect alignment.
- 3 Matching Nova 45 style profile.
- 3M adhesive back for easy installation.
- Made from composite material, will not rot.
- Features a 1.125"(w) x 0.295"(h) modern trapezoidal profile.




10 LITE 2X5




12 LITE 2X6




12 LITE 3X4



15 LITE 3X5



18 LITE 3X6




9 LITE

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of an entryway. They create a custom look as light enters the home. This product is easy to install, low-maintenance, and will not rot or absorb moisture.


NOVA 45 SDL KIT CONFIGURATIONS

6'8"



10 LITE 2X5
ACSDF1D68-10L

6'8"



12 LITE 2X6
ACSDW1D68-12L26

6'8"



12 LITE 3X4
ACSDF1D68-12L34

6'8"



15 LITE 3X5
ACSDF1D68-15L

6'8"



9 LITE
ACSDW1D68-9LQ

6'8"



10 LITE 2X5
ACSDW1D68-10L

6'8"



12 LITE 2X6
ACSDW1D68-12L26

6'8"



12 LITE 3X4
ACSDW1D68-12L34

6'8"



15 LITE 3X5
ACSDW1D68-15L

6'8"



9 LITE
ACSDW1D68-9LQ

8'0"



10 LITE 2X5
ACSDW1D80-10L

8'0"



12 LITE 2X6
ACSDW1D80-12L26

8'0"



12 LITE 3X4
ACSDW1D80-12L34

8'0"



15 LITE 3X5
ACSDW1D80-15L

8'0"



18 LITE 3X6
ACSDW1D80-18L

8'0"



9 LITE
ACSDW1D80-9LQ

8'0"



10 LITE 2X5
ACSDW1D80-10L

8'0"



12 LITE 2X6
ACSDW1D80-12L26

8'0"



12 LITE 3X4
ACSDW1D80-12L34

8'0"



15 LITE 3X5
ACSDW1D80-15L

8'0"



18 LITE 3X6
ACSDW1D80-18L

8'0"



9 LITE
ACSDW1D80-9LQ

NOVA

NOVA 90


FEATURES AND BENEFITS

- 1 COMPOSITE STILE CAP
- 2 FULL-LENGTH LVL (Hinge & Strike side, for extra rigidity)
- 3 INSULATED 1" GLASS
- 4 COMPRESSION MOLDED FIBERGLASS SKIN
- 5 INTEGRALLY MOLDED GLASS STOP
- 6 HIGH-DENSITY POLYURETHANE FOAM
- 7 ADA COMPLIANT BOTTOM RAIL
- 8 COMPOSITE BOTTOM RAIL




STANDARD GLASS OPTIONS*

*Approximate representations, actual product may vary.



LowE 272
Privacy Rating 1

L = STOCKING GLASS



MINI BLIND

M = STOCKING GLASS



TRANSLUCENT
Privacy Rating 10

T = STOCKING GLASS



FLEMISH
Privacy Rating 5

F = STOCKING GLASS



CHORD
Privacy Rating 8


C = STOCKING GLASS



RAIN
Privacy Rating 9


R = STOCKING GLASS

DECO GLASS OPTIONS




SONATA

S = STOCKING GLASS




CHAPELLE

Only available in Full Lite
H = STOCKING GLASS



LANDCASTER

D = STOCKING GLASS



TRIOMPHE

P = STOCKING GLASS

FULL LITE



DRS1S
2'0" x 6'8" L
2'6" x 6'8" L
2'8" x 6'8" LM
2'10" x 6'8"
3'0" x 6'8" LMSHDP
3'6" x 6'8"
4'0" x 6'8"



DRS1S70
2'6" x 7'0"
2'8" x 7'0"
3'0" x 7'0"



DRS1S80
2'0" x 8'0" L
2'6" x 8'0" LM
2'8" x 8'0" LM
2'10" x 8'0"
3'0" x 8'0" LMSHDP
3'6" x 8'0"
4'0" x 8'0"

SIDE LITES



SLS1S
1'0" x 6'8" LMSHDP
1'2" x 6'8" LMSHDP



SLS1S80
1'0" x 8'0" LMSHDP
1'2" x 8'0" LMSHDP

3/4 LITE



DRS1E
2'6" x 6'8" L
2'8" x 6'8" LTR
2'10" x 6'8"
3'0" x 6'8" LMTRSDP



DRS1E80
2'6" x 8'0" L
2'8" x 8'0" LTR
2'10" x 8'0"
3'0" x 8'0" LMTRSDP



SIDE LITES



SLS1E
1'0" x 6'8" LSDT
1'2" x 6'8" LSDT



SLS1E80
1'0" x 8'0" LSDT
1'2" x 8'0" LSDT

1/2 LITE



DRS1H
2'6" x 6'8"
2'8" x 6'8" L
3'0" x 6'8" LMTFRSDP



DRS1H80
2'6" x 8'0" L
2'8" x 8'0"
3'0" x 8'0" LMTFRSDP



SIDE LITES



SLS1H
1'0" x 6'8" LTRSDP
1'2" x 6'8" LSDP



SLS1H80
1'0" x 8'0" LTRSDP
1'2" x 8'0" LSDP


ACCESSORIES

SDL bars are a popular accessory for Plastpro's Nova 90 series. SDL stands for Simulated Divided Lights, which are decorative bars applied to both the interior and exterior surfaces of the glass to give the appearance of individual panes, rather than being built into the door itself. SDL bars come in a number of different sizes and can be configured in many different styles to elevate and enhance the beauty of an entryway.

SDL Bars are applied by Plastpro distributors and dealers. Size, styles, and configurations vary by region. Check with your local dealer to see what options are available in your area.

COMMON SIZES:

SDL 1" Profile



SDL 3.5" Profile





SDL 5" Profile




NOVA


FULL LITE CONFIGURATIONS




3/4 LITE CONFIGURATIONS




4 Lite 6'8"




6 Lite 6'8"




8 Lite 6'8"




Prairie 6'8"




9 Lite 6'8"




4 Lite 8'0"




6 Lite 8'0"




8 Lite 8'0"



Prairie 8'0"




9 Lite 8'0"




12 Lite 8'0"


1/2 LITE CONFIGURATIONS




4 Lite 6'8"




6 Lite 6'8"




Prairie 6'8"




9 Lite 6'8"




4 Lite 8'0"



6 Lite 8'0"



8 Lite 8'0"



Prairie 8'0"



9 Lite 8'0"



12 Lite 8'0"



ONYX: INFINITE FINISH

Enhanced pigmented fiberglass gives you enduring and impactful color without the frequent need for maintenance or painting – the color is literally built into your door. A bold, powerful and sophisticated black, ONYX is the elegant choice for contemporary style. Get the modern aesthetic of your dreams with the contemporary look of a black door with ONYX Infinite Finish in one of Plastpro's Nova 90 models.


ONYX

ALL DOORS ARE SHOWN PRE-FINISHED



ONYX

Pigmented fiberglass, the color can't chip when it's built into your door.



VS




ONYX pigment permeates the entire door skin meaning the color won't flake off like paint revealing the fiberglass beneath.

Paint is applied on top of the door skin. If chipped, the paint will need to be touched up to not see the fiberglass beneath.

FEATURES AND BENEFITS

- 1 COMPOSITE STILE CAP
- 2 FULL-LENGTH LVL (Hinge & Strike side, for extra rigidity)
- 3 INSULATED 1" GLASS
- 4 COMPRESSION MOLDED FIBERGLASS SKIN
- 5 INTEGRALLY MOLDED GLASS STOP
- 6 HIGH-DENSITY POLYURETHANE FOAM
- 7 ADA COMPLIANT BOTTOM RAIL
- 8 COMPOSITE BOTTOM RAIL



STANDARD GLASS OPTIONS*

*Approximate representations, actual product may vary.



LowE 272 Privacy Rating 1	MINI BLIND	TRANSLUCENT Privacy Rating 10	FLEMISH Privacy Rating 5	CHORD Privacy Rating 8	RAIN Privacy Rating 9
L = STOCKING GLASS	M = STOCKING GLASS	T = STOCKING GLASS	F = STOCKING GLASS	C = STOCKING GLASS	R = STOCKING GLASS

DECO GLASS OPTIONS



SONATA	CHAPELLE <i>Only available in Full Lite</i>	LANDCASTER	TRIOMPHE
S = STOCKING GLASS	H = STOCKING GLASS	D = STOCKING GLASS	P = STOCKING GLASS

ONYX

FULL LITE



DRB1S
2'0" x 6'8"
2'6" x 6'8" L
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" L
3'6" x 6'8"
4'0" x 6'8"



DRB1S70
2'6" x 7'0"
2'8" x 7'0"
3'0" x 7'0"



DRB1S80
2'0" x 8'0"
2'6" x 8'0" L
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" L
3'6" x 8'0"
4'0" x 8'0"

SIDE LITES



SLB1S
1'0" x 6'8"
1'2" x 6'8"



SLB1S80
1'0" x 8'0"
1'2" x 8'0"

3/4 LITE



DRB1E
2'6" x 6'8" LFR
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" LFR



DRB1E80
2'6" x 8'0" LFR
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" LFR



SIDE LITES



SLB1E
1'0" x 6'8"
1'2" x 6'8"



SLB1E80
1'0" x 8'0"
1'2" x 8'0"

1/2 LITE



DRB1H
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8" LFR



DRB1H80
2'6" x 8'0"
2'8" x 8'0"
3'0" x 8'0" LFR



SIDE LITES



SLB1H
1'0" x 6'8" LFR
1'2" x 6'8"



SLB1H80
1'0" x 8'0" LFR
1'2" x 8'0"


ACCESSORIES

SDL bars are a popular accessory for Plastpro's ONYX series. SDL stands for Simulated Divided Lights, which are decorative bars applied to both the interior and exterior surfaces of the glass to give the appearance of individual panes, rather than being built into the door itself. SDL bars come in a number of different sizes and can be configured in many different styles to elevate and enhance the beauty of an entryway.

SDL Bars are applied by Plastpro distributors and dealers. Size, styles, and configurations vary by region. Check with your local dealer to see what options are available in your area.

COMMON SIZES:

SDL 1" Profile



SDL 3.5" Profile





SDL 5" Profile




ONYX


FULL LITE CONFIGURATIONS




3/4 LITE CONFIGURATIONS




4 Lite 6'8"




6 Lite 6'8"




8 Lite 6'8"




Prairie 6'8"




9 Lite 6'8"




4 Lite 8'0"




6 Lite 8'0"




8 Lite 8'0"



Prairie 8'0"




9 Lite 8'0"




12 Lite 8'0"


1/2 LITE CONFIGURATIONS




4 Lite 6'8"




6 Lite 6'8"




Prairie 6'8"



9 Lite 6'8"




4 Lite 8'0"



6 Lite 8'0"



8 Lite 8'0"



Prairie 8'0"



9 Lite 8'0"



12 Lite 8'0"

KEY: ■ STOCKING SIZE ■ EXTENDED LEAD TIME



CRAFTSMAN

If you're an old soul who wishes to keep up with the latest trends, The Craftsman Series is certainly your best bet. This series applies the most notable elements from 19th and 20th century architecture by blessing your home with a historical essence while still maintaining its modern appeal. Our traditional styles and flat panels successfully complement our selection of Ovolo profiles, Shaker profiles, and sleek direct glazed options. Don't miss out on the wonderfully crafted Fir and Smooth graining options available in this line as well. Still searching for more? Check out our limited edition Dentil Shelf and Simulated Divided Lights "SDL" Kits that serve as the perfect accessories to perfect an entryway that symbolizes you.

FIR GRAIN

SMOOTH

ALL DOORS ARE SHOWN PRE-FINISHED

OVOLO PANEL

DIRECT GLAZED*

PANEL DETAIL:



GLASS:



LowE

*Only available with glass.

FIR GRAIN



SMOOTH



ACCESSORIES

DENTIL SHELF

Plastpro's Dentil Shelves add a clean outline to your door while ensuring durability. Our shelves are made of lightweight material, High-Density Polyurethane (HDP) and will not warp, rot or crack. Selecting HDP over traditional wood products is an excellent alternative that is efficient for the long run.



SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of any entryway. They create a custom look as light shines through the home. This product guarantees easy installation, low-maintenance, and will not rot or absorb moisture.



SHAKER PANEL

PANEL DETAIL:



FIR GRAIN




SMOOTH






SOLUTION FRAME OPTIONS
 - SEE PAGE 23 FOR AVAILABLE TEXTURE GLASS STYLES.



DR53J
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

DR550
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



22" x 15"
 Solution Frame*

22" x 36"
 Solution Frame*

22" x 8"
 Solution Frame*

7" x 64"
 Solution Frame*

SHAKER PANEL

DIRECT GLAZED*


PANEL DETAIL:



FIR GRAIN



SMOOTH



CRAFTSMAN

ACCESSORIES

DENTIL SHELF

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.



SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of an entryway. They create a custom look as light enters the home. This product is easy to install, low-maintenance, and will not rot or absorb moisture.




ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS


NOVA PANEL

DIRECT GLAZED*

PANEL DETAIL




DRS3S80L
3'0" x 8'0"
SLS3S80L
1'0" x 8'0"
1'2" x 8'0"
DRS3JL
3'0" x 6'8"



LowE
*Only available with glass.



DRS3B70
3'0" x 7'0"



LowE
*Only available with glass.

ACCESSORIES

DENTIL SHELF

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.



ACD5SW2404 **ACD5SW2704**

SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of an entryway. They create a custom look as light enters the home. This product is easy to install, low-maintenance, and will not rot or absorb moisture.



6'8" ACD5W3568C03L **6'8" ACD5W3568C06L** **ACD5W3568025L**

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS




RUSTIC

Hold your horses everyone, because you've got to see the breathtaking countrylike doors that Plastpro's Rustic Series has to offer. This series is far from ordinary. Its distinct panel details, beautifully crafted vertical planks, and arched and radius panels deliver a warm and homey sensation to any entryway. Our Rustic Doors' dark and smooth features also add a touch of modernness while embracing sweet southern hospitality. For those wanting to magnify the vintage look, this series also includes a line of wrought iron accessories for further customization, one can't help but observe.

RUSTIC GRAIN

ALL DOORS ARE SHOWN PRE-FINISHED

TRUE PLANK DOORS



DRATP
2'6" x 6'8"
3'0" x 6'8"
3'6" x 6'8"

DRATP70
3'0" x 7'0"

DRATP80
2'6" x 8'0"
3'0" x 8'0"
3'6" x 8'0"

ONE PANEL DOORS



DRA1A80
3'0" x 8'0"
3'6" x 8'0"

DRA1P
3'0" x 6'8"

DRA1P80
3'0" x 8'0"
3'6" x 8'0"

TWO PANEL DOORS



DRA2A
3'0" x 6'8"
Cutouts: 344, 3R4

DRA2A80
3'0" x 8'0"
3'6" x 8'0"
Cutouts: 3R5, 3R6

SLM6080
1'0" x 8'0"
1'2" x 8'0"
Cutouts: FL2

DRA2B
3'0" x 6'8"
Cutouts: 344

SLA2B
1'0" x 6'8"
1'2" x 6'8"
Cutouts: FL1

DRA2D
3'0" x 6'8"
3'6" x 6'8"
Cutouts: 344, 3R4

DRA2P80
3'0" x 8'0"
3'6" x 8'0"
Cutouts: HL6, 346

DRA2R80
3'0" x 8'0"

RUSTIC

RUSTIC DOORLITES

CAMELIA



DOOR CUT OUTS

HALF LITE			
Code	Glass Size	Width	Height
344	24.125" x 38"	3'0"	6'8"
HL6	25.5" x 50"	3'0"	8'0"
346	29.375" x 50.25"	3'6"	8'0"



HALF ARCH LITE			
Code	Glass Size	Width	Height
3R4	24.125" x 38"	3'0"	6'8"
3R5	25.375" x 50.25"	3'0"	8'0"
3R6	29.375" x 50.25"	3'6"	8'0"



PRISCILLA



SIDE LITE CUT OUTS

FULL LITE			
Code	Glass Size	Width	Height
FL1	7" x 64"	1'0" 1'2"	6'8"
FL2	8" x 80"	1'0" 1'2"	8'0"



For full doorlite details see pages 12-25.

KEY: ■ STOCKING SIZE ■ EXTENDED LEAD TIME

RUSTIC SERIES ACCESSORIES

DECORATIVE CLAVOS

1.5" Square




ACCLP12Q

1.25" Square



ACCLP14Q

1.5" Round



ACCLP12R

1.25" Round



ACCLP14R

Plastpro's Clavos add detail and style to one of our Rustic Series Doors. With your choice of Large Square Clavos, Large Round Clavos, Small Square Clavos, or Small Round Clavos, there are plenty of bold and subtle options to heighten the rural sentiment and charm of a plank door.

FEATURES AND BENEFITS

- Easy to Apply
- Unique Adhesive Formatted for Fiberglass Doors
- Masterfully Crafted Premium Metal Alloy
- Tough and Durable Powder Coat Finish



DRA1P
ACCLP14Q

DRA1P80
ACCLP14Q

DRA1A80
ACCLP12Q

SPEAKEASY & HINGE STRAP

Industrial Speakeasy



ACCSPKY0910KIT

The Open Speakeasy adds an eclectic, but polished, touch to a Plastpro Rustic Series door. Meanwhile, the Industrial Speakeasy takes you back in time to Prohibition days, with an ornate, grill design that adds extra charm and individuality. The wrought iron bars offer a simple, custom detail while presenting a bold focal point.

Plastpro's Hinge Straps are a simple and unique way to give your Rustic Series door an additional splash of character. Our straps are elite when it comes to providing style and top-tier quality to your home.

Open Speakeasy



ACCSPKYGSB0KIT

The durable, aluminum material is resistant to rust and discoloration, keeping the bold, black pop of detail intact.


18" Hinge Straps



ACCCHGSP18

FEATURES AND BENEFITS

- Durable Powder Coat Finish
- Combats Rust and Discoloration
- Beautifully Textured
- Masterfully Handcrafted



DRA2D
ACCSPKY0910KIT

DRA2R80
ACCCHGSP18
ACCSPKY0910KIT

DRA2D
ACCSPKYGSB0KIT

DRA2R80
ACCCHGSP18
ACCSPKYGSB0KIT





SMOOTH


We need some appreciation for our natural beauties out there, and Plastpro is here to give it, specifically with our glorious Smooth Series. These doors are made with a pre-pigmented, white skin; its polished look accentuates a one-of-a-kind simplicity to any entryway. Our smooth skin incorporates a variety of panel designs and glass options which allows you to add spice to your door while still accomplishing a clean minimal look. Additionally, this series can be painted giving you the opportunity to create a door that exemplifies the real you.



SMOOTH FINISH

ALL DOORS ARE SHOWN PRE-FINISHED

FLUSH PANEL DOORS



- DR500**
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'6" x 6'8"
Cutouts: FL5, FL7
- SLS00**
1'0" x 6'8"
1'2" x 6'8"
Cutouts: FL1
- DR50070**
2'0" x 7'0"
2'4" x 7'0"
2'6" x 7'0"
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"
3'6" x 7'0"
Cutouts: FL5, FL7
- SLS0070**
1'0" x 7'0"
1'2" x 7'0"
Cutouts: FL1
- DR50080**
2'0" x 8'0"
2'4" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"
Cutouts: FL6, FL8
- SLS080**
1'0" x 8'0"
1'2" x 8'0"
Cutouts: FL2

FLUSH GLAZED FULL LITE DOOR

Flush glazed door available open or with glass.

GLASS OPTIONS:

DRS1070
2'6" x 7'0"
2'8" x 7'0"
3'0" x 7'0"

LowE or Clear

TWO PANEL DOORS



- DRS2D80**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
Cutouts: 342
- SLS4180**
1'0" x 8'0"
1'2" x 8'0"
Cutouts: 341
- DRS2G**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
Cutouts: HL4
- DRS2G80**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
Cutouts: 342
- SLS4180**
1'0" x 8'0"
1'2" x 8'0"
Cutouts: 341
- DRS20**
3'0" x 6'8"
Cutouts: 3V2, 343
- SLS3E**
1'0" x 6'8"
1'2" x 6'8"
Cutouts: 341
- DRS22**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
Cutouts: HL4
- DRS2270**
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"
Cutouts: HL4

FLUSH GLAZED HALF LITE DOOR

Flush glazed door available open or with glass.

GLASS OPTIONS:


DRS29
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
Cutouts: 342

SLS3E
1'0" x 6'8"
1'2" x 6'8"
Cutouts: 341

DRS12L
2'8" x 6'8"
3'0" x 6'8"
LowE or Clear



THREE PANEL DOORS



DRS3E
3'0" x 6'8"
Cutouts: 3V2, 343

SLS3E
1'0" x 6'8"
1'2" x 6'8"
Cutouts: 341

DR53P
3'0" x 6'8"
Cutouts: 3V2

SLS3P
1'0" x 6'8"
1'2" x 6'8"
Cutouts: 3V1

DR53080
2'8" x 8'0"
3'0" x 8'0"
3'6" x 8'0"
Cutouts: 3V3, FL7

SLS3080
1'0" x 8'0"
1'2" x 8'0"
Cutouts: FL1

DR531
3'0" x 6'8"
Cutouts: HL4

FOUR PANEL DOORS



DRS40
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
Cutouts: HR1, HL4

DR541
2'8" x 6'8"
3'0" x 6'8"
Cutouts: HL4

DR54170
3'0" x 7'0"
Cutouts: HL4

DR54180
2'8" x 8'0"
3'0" x 8'0"
Cutouts: 342

SLS4180
1'0" x 8'0"
1'2" x 8'0"
Cutouts: 341

DR542
2'6" x 6'8"
Cutouts: HR1

DR549
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
Cutouts: 342

SLS49
1'0" x 6'8"
1'2" x 6'8"
Cutouts: 341

SMOOTH



SIX PANEL DOORS

6'8"



DR56C
3'0" x 6'8"
Cutouts: TL3

6'8"



DR560
2'6" x 6'8"
3'0" x 6'8"
Cutouts: TL5, TL1

8'0"



DR56080
2'6" x 8'0"
2'8" x 8'0"
3'0" x 8'0"
Cutouts: HL6

8'0"



SLS4180
1'0" x 8'0"
1'2" x 8'0"
Cutouts: 341

8'0"



DR56180
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
Cutouts: 342

6'8"



DR563
2'10" x 6'8"
3'0" x 6'8"
Cutouts: HL4

ACCESSORIES

DENTIL SHELVES

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

Door: DR56C

4 Block Dentil Shelf



ACDSSW2704

16 Block Dentil Shelf



ACDSSW2716

EIGHT PANEL DOOR

6'8"



DR580
3'0" x 6'8"
Cutouts: 8C2

DOORLITE CUT OUTS

FULL LITE			
Code	Glass Size	Width	Height
FL5	20" x 64"	2'6"	6'8" & 7'0"
FL7	22" x 64"	2'8" 2'10" 3'0"	6'8" & 7'0"
FL6	20" x 80"	2'6"	8'0"
FL8	22" x 80"	2'8" 2'10" 3'0"	8'0"
FL1	7" x 64"	1'0" & 1'2"	6'8" & 7'0"
FL2	8" x 80"	1'0" & 1'2"	8'0"

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8" & 7'0"
HL6	20.25" x 50"	3'0"	8'0"
342	22" x 48"	2'8" 2'10" 3'0"	8'0"
346	29.375" x 50.25"	3'6"	8'0"
HL2	8" x 36"	1'0" & 1'2"	6'8" & 7'0"
341	8" x 48"	1'0" & 1'2"	8'0"

3/4 LITE			
Code	Glass Size	Width	Height
343	25" x 48"	3'0"	6'8"
FL7	22" x 64"	2'8" 2'10" 3'0"	8'0"
341	8" x 48"	1'0" & 1'2"	6'8"
FL1	7" x 64"	1'0" & 1'2"	8'0"

For full doorlite details see pages 12-25.

3/4 OVAL LITE			
Code	Glass Size	Width	Height
3V2	16.78" x 38.72"	3'0"	6'8"
3V3	13" x 53"	2'8" 2'10" 3'0"	8'0"
3V1	7" x 39.5"	1'0" & 1'2"	6'8"

TOP LITE			
Code	Glass Size	Width	Height
TL5	20" x 8.25"	2'6"	6'8"
TL3	25" x 15"	3'0"	6'8"
TL1	25.25" x 8.25"	3'0"	6'8"

HALF ROUND LITE			
Code	Glass Size	Width	Height
HR1	22" x 10"	2'6" 2'8" 2'10" 3'0"	6'8"

CENTER ARCH LITE			
Code	Glass Size	Width	Height
8C2	9.75" x 41"	3'0"	6'8"

CENTER LITE			
Code	Glass Size	Width	Height
9P1	9.5" x 18.5"	2'8" 3'0"	6'8"

NINE PANEL DOOR

6'8"



DR590
2'8" x 6'8"
3'0" x 6'8"
Cutouts: 9P1




BRUSHED

Some doors impress with flawless simplicity—but others shine through the beauty of subtle texture. Plastpro's Brushed Series celebrates that refined character. Crafted with a delicately brushed skin, this finish offers excellent paint adhesion for long-lasting, vibrant color. The understated grain appearance adds dimension without overwhelming the design, giving each door a warm, natural presence. True stile-and-rail detailing further elevates the look, bringing handcrafted depth to durable fiberglass construction. Where the Smooth Series offers sleek minimalism, the Brushed Series introduces a soft, textural elegance—perfect for homeowners who want just a touch more character in their doorway design.

BRUSHED

ALL DOORS ARE SHOWN PRE-FINISHED


FLUSH PANEL DOORS



DRZ00
 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
Cutouts:
 FL5, FL7

SLZ00
 1'0" x 6'8"
 1'2" x 6'8"
Cutouts:
 FL1

TWO PANEL DOORS



DRZ2B
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
Cutouts:
 HL4

DRZ2D
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
Cutouts:
 HL4

8'0"



DRZ2280
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
Cutouts:
 342

8'0"



DRZ2980
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
Cutouts:
 FL7

FOUR PANEL DOORS



DRZ40
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
Cutouts:
 HR1, HL4

SIX PANEL DOORS



DRZ6B
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
Cutouts:
 HL4

DRZ60
 3'0" x 6'8"
Cutouts:
 TL1

SLZ60
 1'0" x 6'8"
 1'2" x 6'8"
Cutouts:
 FL1



DRZ61
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
Cutouts:
 HL4

SLZ61
 1'0" x 6'8"
 1'2" x 6'8"
Cutouts:
 FL1

7'0"



DRZ6170
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"
Cutouts:
 HL4

7'0"



SLZ6170
 1'0" x 6'8"
 1'2" x 6'8"
Cutouts:
 HL2



DRZ63
 2'8" x 6'8"
Cutouts:
 HL4

DOORLITE CUT OUTS

FULL LITE			
Code	Glass Size	Width	Height
FL5	20" x 64"	2'6"	6'8"
FL7	22" x 64"	2'8" 2'10" 3'0"	6'8"
FL1	7" x 64"	1'0" & 1'2"	6'8"

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8" & 7'0"
342	22" x 48"	2'8" 3'0"	8'0"
HL2	8" x 36"	1'0" & 1'2"	6'8" & 7'0"

3/4 LITE			
Code	Glass Size	Width	Height
FL7	22" x 64"	2'8" 2'10" 3'0"	8'0"

TOP LITE			
Code	Glass Size	Width	Height
TL1	25.25" x 8.25"	3'0"	6'8"

HALF ROUND LITE			
Code	Glass Size	Width	Height
HR1	22" x 10"	2'8" 2'10" 3'0"	6'8"

For full doorlite details see pages 12-25.

KEY: ■ STOCKING SIZE ■ EXTENDED LEAD TIME



OAK

You can't go wrong selecting a door from Plastpro's most popular and finest series; The Oak Series. The rich, grain texture and intricate wood carvings deliver a classic look that all loved ones and guests will be infatuated by. The only thing stronger than the Oak grains door resistance is its magnetism and variability. We have many panel designs available so you can mix and match the Oak Series with our entire glass line to find the right, custom combination. Our Oak doors create a suitable look designed for any entryway and will never go out of style.

OAK GRAIN

ALL DOORS ARE SHOWN PRE-FINISHED

FLUSH PANEL DOORS



DRG00
 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
 3'6" x 6'8"
 Cutouts: FL5, FL7

SLG00
 1'0" x 6'8"
 1'2" x 6'8"
 Cutouts: FL1

DRG0070
 2'6" x 7'0"
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"
 Cutouts: FL5, FL7

SLG0070
 1'0" x 7'0"
 1'2" x 7'0"
 Cutouts: FL1

DRG0080
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"
 Cutouts: FL6, FL8

SLG0080
 1'0" x 8'0"
 1'2" x 8'0"
 Cutouts: FL2



TWO PANEL DOORS



DRG20
 3'0" x 6'8"
 Cutouts: 3V2, 343

SLG3E
 1'0" x 6'8"
 1'2" x 6'8"
 Cutouts: 341

DRG29
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
 Cutouts: 342

SLG3E
 1'0" x 6'8"
 1'2" x 6'8"
 Cutouts: 341

DRG2980
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 Cutouts: FL7

SLG3080
 1'0" x 8'0"
 1'2" x 8'0"
 Cutouts: FL1

FLUSH GLAZED HALF LITE DOOR



DRG12
 2'8" x 6'8"
 3'0" x 6'8"

Flush glazed door available open or with glass.

GLASS OPTIONS:



LowE or Clear

THREE PANEL DOORS



DRG3E
 3'0" x 6'8"
 Cutouts: 3V2, 343

SLG3E
 1'0" x 6'8"
 1'2" x 6'8"
 Cutouts: 341

DRG3P
 3'0" x 6'8"
 Cutouts: 3V2

SLG3P
 1'0" x 6'8"
 1'2" x 6'8"
 Cutouts: 3V1

DRG3080
 2'8" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"
 Cutouts: 3V3, FL7

SLG3080
 1'0" x 8'0"
 1'2" x 8'0"
 Cutouts: FL1

DRG31
 3'0" x 6'8"
 Cutouts: HL4

FOUR PANEL DOORS

6'8"



DRG40
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Cutouts: HR1, HL4

6'8"



SLG60
1'0" x 6'8"
1'2" x 6'8"

Cutouts: HL2

6'8"



DRG41
2'8" x 6'8"
3'0" x 6'8"
3'6" x 6'8"

Cutouts: HL4

6'8"



SLG60
1'0" x 6'8"
1'2" x 6'8"

Cutouts: HL2

7'0"



DRG4170
3'0" x 7'0"

Cutouts: HL4

8'0"



DRG4180
2'8" x 8'0"
3'0" x 8'0"

Cutouts: 342

8'0"



SLG4180
1'0" x 8'0"
1'2" x 8'0"

Cutouts: 341

6'8"



DRG49
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Cutouts: 342

6'8"



SLG49
1'0" x 6'8"
1'2" x 6'8"

Cutouts: 341

FOUR PANEL DOORS

6'8"



DRG6C
3'0" x 6'8"

Cutouts: TL3

6'8"



DRG60
2'6" x 6'8"
3'0" x 6'8"

Cutouts: TL5, TL1

6'8"



SLG60
1'0" x 6'8"
1'2" x 6'8"

Cutouts: FL1

8'0"



DRG6080
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Cutouts: HL6, 346

8'0"



SLG4180
1'0" x 8'0"
1'2" x 8'0"

Cutouts: 341

6'8"



DRG61
2'8" x 8'0"
3'0" x 8'0"

Cutouts: HL4

6'8"



SLG61
1'0" x 6'8"
1'2" x 6'8"

Cutouts: HL2

7'0"



DRG6170
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"

Cutouts: HL4

7'0"



SLG6170
1'0" x 7'0"
1'2" x 7'0"

Cutouts: HL2

8'0"



DRG6180
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Cutouts: 342

6'8"



DRG63
2'6" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Cutouts: HL4

6'8"



SLG60
1'0" x 6'8"
1'2" x 6'8"

Cutouts: HL2

ACCESSORIES

DENTIL SHELVES

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

Door: DRG6C

4 Block Dentil Shelf



ACDSGT2704

EIGHT PANEL DOORS




DRG80
3'0" x 6'8"

Cutouts: 8C2

SLG80
1'0" x 6'8"
1'2" x 6'8"

Cutouts:
8C1



DRG8080
3'0" x 8'0"

Cutouts: 8C3

NINE PANEL DOORS



DRG90
2'8" x 6'8"
3'0" x 6'8"

Cutouts: 9P1



DRG9180
3'0" x 8'0"

Cutouts: 341


DOORLITE CUT OUTS

For full doorlite details see pages 12-25.


FULL LITE			
Code	Glass Size	Width	Height
FL5	20" x 64"	2'6"	6'8" & 7'0"
FL7	22" x 64"	2'8" 2'10" 3'0"	6'8" & 7'0"
FL6	20" x 80"	2'6"	8'0"
FL8	22" x 80"	2'8" 2'10" 3'0"	8'0"
FL1	7" x 64"	1'0" & 1'2"	6'8" & 7'0"
FL2	8" x 80"	1'0" & 1'2"	8'0"




HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8" & 7'0"
HL6	20.25" x 50"	3'0"	8'0"
342	22" x 48"	2'8" 2'10" 3'0"	8'0"
346	29.375" x 50.25"	3'6"	8'0"
HL2	8" x 36"	1'0" & 1'2"	6'8" & 7'0"
341	8" x 48"	1'0" & 1'2"	8'0"



3/4 LITE			
Code	Glass Size	Width	Height
343	25" x 48"	3'0"	6'8"
342	22" x 48"	2'8" 2'10" 3'0"	6'8"
FL7	22" x 64"	2'8" 2'10" 3'0"	8'0"
341	8" x 48"	1'0" & 1'2"	6'8"
FL1	7" x 64"	1'0" & 1'2"	8'0"



3/4 OVAL LITE			
Code	Glass Size	Width	Height
3V2	16.78" x 38.72"	3'0"	6'8"
3V3	13" x 53"	2'8" 2'10" 3'0"	8'0"
3V1	7" x 39.5"	1'0" & 1'2"	6'8"




TOP LITE			
Code	Glass Size	Width	Height
TL5	20" x 8.25"	2'6"	6'8"
TL3	25" x 15"	3'0"	6'8"
TL1	25.25" x 8.25"	3'0"	6'8"



HALF ROUND LITE			
Code	Glass Size	Width	Height
HR1	22" x 10"	2'6" 2'8" 2'10" 3'0"	6'8"



CENTER ARCH LITE			
Code	Glass Size	Width	Height
8C2	9.75" x 41"	3'0"	6'8"
8C3	9.5" x 57.25"	3'0"	8'0"
8C1	8" x 41"	1'0" & 1'2"	6'8"



CENTER LITE			
Code	Glass Size	Width	Height
9P1	9.5" x 18.5"	2'8" 3'0"	6'8"
341	8" x 48"	3'0"	8'0"





WHITE OAK

Can't decide between our classic Oak series and suave Smooth series? Plastpro figured, and as a result, we've created our exclusive White Oak Series. An immaculate line that encapsulates the finest features from our Smooth and Oak doors to deliver a top-notch entryway. Any home can enjoy an intricate oak texture coated in a pristine, pre-pigmented white skin. Finally, to help solidify your decision, Plastpro offers plentiful decorative glass options that'll turn this dreamy look into reality. The White Oak Series is the definition of the best of both worlds.

WHITE OAK GRAIN

ALL DOORS ARE SHOWN PRE-FINISHED

FLUSH PANEL DOORS



DRV00
 2'0" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
Cutouts:
 FL5, FL7

SLV00
 1'0" x 6'8"
 1'2" x 6'8"
Cutouts:
 FL1

FOUR PANEL DOORS



DRV40
 2'8" x 6'8"
 3'0" x 6'8"
Cutouts:
 HR1, HL4

SLV60
 1'0" x 6'8"
 1'2" x 6'8"
Cutouts:
 HL2

DRV41
 2'8" x 6'8"
 3'0" x 6'8"
Cutouts:
 HL4

SLV60
 1'0" x 6'8"
 1'2" x 6'8"
Cutouts:
 HL2



SIX PANEL DOORS



DRV60
 3'0" x 6'8"
Cutouts:
 TL1

SLV60
 1'0" x 6'8"
 1'2" x 6'8"
Cutouts:
 HL2

DRW6080
 3'0" x 8'0"
Cutouts:
 HL6

DRV61
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
Cutouts:
 HL4

SLV61
 1'0" x 6'8"
 1'2" x 6'8"
Cutouts:
 HL2

DRV63
 2'8" x 6'8"
 3'0" x 6'8"
Cutouts:
 HL4

SLV60
 1'0" x 6'8"
 1'2" x 6'8"
Cutouts:
 HL2

DOORLITE CUT OUTS

HALF ROUND LITE			
Code	Glass Size	Width	Height
HR1	22" x 10"	2'6" 2'8" 2'10" 3'0"	6'8"



TOP LITE			
Code	Glass Size	Width	Height
TL1	25.25" x 8.25"	3'0"	6'8"



HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8"
HL6	20.25" x 50"	3'0"	8'0"
HL2	8" x 36"	1'0" & 1'2"	6'8"



FULL LITE			
Code	Glass Size	Width	Height
FL5	20" x 64"	2'6"	6'8"
FL7	22" x 64"	2'8" 2'10" 3'0"	6'8"
FL1	7" x 64"	1'0" & 1'2"	6'8"



For full doorlite details see pages 12-25.



MAHOGANY

The Mahogany Series seamlessly blends red and brown tones to sculpt a beloved, wood texture that is irresistible to the eye. This series effortlessly embodies traditional, timeless styles that are made to radiate beauty and elegance throughout your home. Our perfectly crafted wood panels can be paired with any of our decorative glass options which explains why these fiberglass doors are a hot commodity. This line is also compatible with any layout you desire, giving you the freedom to transform your home into your masterpiece.

MAHOGANY GRAIN

ALL DOORS ARE SHOWN PRE-FINISHED

THREE PANEL DOORS



DRM3D
3'0" x 6'8"
Cutouts:
3V2

SLM3D
1'0" x 6'8"
1'2" x 6'8"
Cutouts:
3V1

FOUR PANEL DOORS



DRM40
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
Cutouts:
HR1, HL4, FL5, FL7

SLM60
1'0" x 6'8"
1'2" x 6'8"
Cutouts:
HL2, FL1

DRM41
3'6" x 6'8"

SIX PANEL DOORS



DRM60
3'0" x 6'8"
Cutouts:
TL1

SLM60
1'0" x 6'8"
1'2" x 6'8"
Cutouts:
HL2

DRM6080
3'6" x 8'0"
Cutouts:
346

SLM6080
1'0" x 8'0"
1'2" x 8'0"
Cutouts:
FL2

FLUSH GLAZED 3/4 LITE DOOR



DRM13
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

SLM13
1'0" x 6'8"
1'2" x 6'8"

DRM1380
2'6" x 8'0"
2'8" x 8'0"
3'0" x 8'0"

SLM1380
1'0" x 8'0"
1'2" x 8'0"

LowE
or Clear

DOORLITE CUT OUTS

3/4 OVAL LITE			
Code	Glass Size	Width	Height
3V2	16.78" x 38.72"	3'0"	6'8"
3V1	7" x 39.5"	1'0" & 1'2"	6'8"

HALF ROUND LITE			
Code	Glass Size	Width	Height
HR1	22" x 10"	2'6" 2'8" 2'10" 3'0"	6'8"

HALF LITE			
Code	Glass Size	Width	Height
HL4	22" x 36"	2'8" 2'10" 3'0"	6'8"
HL2	8" x 36"	1'0" & 1'2"	6'8"

FULL LITE			
Code	Glass Size	Width	Height
FL5	20" x 64"	2'6"	6'8"
FL7	22" x 64"	2'8" 2'10" 3'0"	6'8"
FL1	7" x 64"	1'0" & 1'2"	6'8"

TOP LITE			
Code	Glass Size	Width	Height
TL1	25.25" x 8.25"	3'0"	6'8"

HALF LITE			
Code	Glass Size	Width	Height
346	29.375" x 50.25"	3'6"	8'0"

FULL LITE			
Code	Glass Size	Width	Height
FL2	8" x 80"	1'0" & 1'2"	8'0"

For full doorlite details see pages 12-25.



MAHOGANY



LIMITED

Luxury and richness are the perfect words that come to mind when describing Plastpro's Limited Series graining. This line adds a whole new meaning to beauty, especially with our Knotty Adler model, which features a rich, grain patterned with knots. Additionally, our Teak model, has earned a spot in being a worldwide favorite for its divine, straight yet occasionally wavy or interlocked grain patterns. Selecting a door that gives a natural luster and deluxe feeling will be effortless and, in turn, you'll be walking away with an entryway you'd have to see to believe.

TEAK GRAIN

KNOTTY ADLER GRAIN

ALL DOORS ARE SHOWN PRE-FINISHED

TEAK GRAIN

6'8"



DMT51
2'8" x 6'8"
3'0" x 6'8"

KNOTTY ALDER GRAIN

6'8"



DRK2B
3'0" x 6'8"

KEY: ■ STOCKING SIZE ■ EXTENDED LEAD TIME



LIMITED



STAINING GUIDES



PAINTING GUIDES

MATERIALS NEEDED

- Pre-Mixed Oil-Based Stain (1/2 pint)
- Mineral Spirits (4 fl. oz.)
- Topcoat/Sealer (20 fl. oz.)
- Two Lint-free Clean Cloths
- One Pair Protective Glove
- 3" China Bristle Brush
- Two Stir Sticks
- Two Skin Samples
- Finishing Instruction

STAINING INSTRUCTIONS

SURFACE PREPARATION

- Lay door horizontally on sawhorses or a table.
- Remove all the hardware and mask off anything you don't want stained, such as the glass insert.



DO NOT SAND TEXTURED FIBERGLASS

- Wipe the Door with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain.

STAIN APPLICATION

Wood Grain Doors:

- Starting at the center of the Door, stain one to two panels at a time. Apply stain with a 3" to 4" soft bristle brush, or rag. Apply enough stain to fill the Door grain.
- With a clean cloth softly wipe the surface until you reach your desired tone. TIP: When the rag becomes saturated with stain, refold to work with a less saturated section. Be sure to use the same rag for the whole Door.
- After all stain is brushed evenly, you may add finishing touches by using a small 1" to 2" brush or cotton swabs.
- If desired allow the Door to dry following the manufacturer's instructions for drying time between coats, then repeat the above process.

Brushed Finish Doors (Nova 90):

- Mix stain with stir stick. Apply stain with a 3" to 4" soft bristle brush
- Wait 5-10 minutes then wipe off excess stain using a clean cloth.
- To stain smooth stiles of the door brush the stain on and do not wipe it off.
- Allow the Door to dry following the manufacturer's instructions for drying time between coats, then repeat the above process.



PROTECTIVE TOPCOAT

Application of polyurethane topcoat with UV inhibitors like ZAR™ Exterior polyurethane, Wood Kote® Flagship UV, or Minwax® Fast Drying Polyurethane for exterior applications.

- After stain has completely dried (48 hours) mix the topcoat well and apply evenly using a clean, dry 2" soft bristle brush or 3" foam brush. Be sure to stop when the grain changes direction.
- Apply two or three coats of finish, allowing at least 24 hours of drying time between each application.

MATERIALS NEEDED

- Lint-free Cloth
- Mineral Spirits
- Rubber Gloves
- Masking Tape
- 4" Bristle Brush
- For water-based application: acrylic-based primer* / acrylic latex-based exterior grade paint

For Smooth Doors ONLY

- Scotch Brite Pad (Fine) or 320-400 grit sandpaper

We recommend using Sherwin-Williams PrepRite® Bonding Primer with compatible acrylic-latex paint for optimal paint adhesion.

PAINTING INSTRUCTIONS

SURFACE PREPARATION

- Lay door horizontally on sawhorses or a table.
- Remove all the hardware and mask off anything you don't want painted, such as the glass insert.

- **Smooth Doors ONLY:** Lightly scuff/sand the surface with a Scotch Brite pad or fine sand paper.

DO NOT SAND TEXTURED FIBERGLASS.

- Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow acetone to dry from the surface before applying.
- Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.

PRIMING

- Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the primer to ALL 6 sides. Doors which have been bored and mortised, or machined for hardware should be primed inside of the lock bore, or prepped area as well.
- The primer must be completely dry before applying the topcoat.



PAINTING

- Apply exterior grade paint with a 4" brush beginning with the panels.
- It is a common practice to paint both door stiles the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
- Continue to apply the topcoat to ALL 6 sides of the door which have been bored and mortised for hardware- should be finished inside of the lock bore as well.

IMPORTANT TO NOTE: It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.

CAUTION: Read and follow all the manufacturer's safe use instructions before using any chemical product.

TESTING RESULTS

ASTM D1761	Screw holding capacity.
NWWDA TM-7	Cycle slam test.
NWWDA TM-8	Hinge load resistance test.
ASTM E 283	Air infiltration.
ASTM E 331 / E 547	Water resistant.
ASTM E 330	Uniform structural load.
ASTM E1886 / E1996	Impact / cycle test.
AAMA 1304	Forced entry resistance test.
TAS 201	Impact test.
TAS 202	Air / water / structural test.
TAS 203	Wind pressure cycle test.
NFRC 100 / 200 / 500	Energy efficiency.
ASTEM E90 / STC / OITC	Sound transmission.
ULC 10 C / NFPA 252 / ASTM E 2074	Fire rated.
CDPH / EHLB METHOD V1.1 2010	Volatile organic chemical emission test.
JIS Z 2801:2001	Antimicrobial products test.
ASTM D1413-07	Antifungal wood plastic composite test.
CSFM 12-7A-1	Exterior wildfire exposure test.
AAMA 1702	Exterior door test for manufactured housing.
AAMA 920	Operating cycle test.
AAMA / WDMA / CSA 101 / I.S./A440 (NAFS)	North America fenestration test.

The PLASTPRO DOOR met requirements for sawing, planing, routing, boring, drilling and chiseling. For more specific results, please see our website at www.plastproinc.com or contact our Customer Service Department at 1 (800) 779-0561.



WARNING: These products may include styrene, titanium dioxide, and wood dust, which are known to the State of California to cause cancer. For more information go to www.p65warnings.ca.gov



www.plastproinc.com

5200 W. Century Blvd, 9th Floor ■ Los Angeles, CA 90045

Phone: (800) 779-0561 ■ Fax: (310) 693-8620



© 2026 Plastpro Inc. All Rights Reserved

Product # MKLFLB2026 Updated Mar. 2026