




 plastpro®

NOVA 90 SERIES



plastpro® NOVA 90

Our Nova 90 Series features direct glazed glass, which creates a seamless and elegant design. The large pane glass available in 3 sizes: full lite, 3/4 lite, and 1/2 lite, allows the most amount of light into your home. The Nova 90 Series features a clean shaker profile and is available in Brushed Smooth Finish, which is both paint-able and stain-able or ONYX, which is our black pre-pigmented fiberglass skin also with a brushed smooth texture. Multiple sizes and glass options are available in each model as well as being available in HVHZ Impact rated.



HVHZ IMPACT

Plastpro's High Velocity Hurricane Zone (HVHZ) Impact Doors are created, tested, and certified to meet the most stringent wind and impact code requirements in the nation. Our innovative R&D Department has pioneered a unique, patent-pending process whereby a missile-proof shield is built in to reinforce the door.



= HVHZ Option Available.
Contact us for stock availability.









FULL LITE

Our Nova 90 Full Lite has the largest daylight opening in the Nova series, allowing the most amount of light into your home. Direct glazed glass creates a seamless and elegant design with a clean shaker profile for a modern look. With multiple sizes and glass options available, there is something for everyone.



Brushed Smooth Texture:

Subtle grain appearance.
Excellent paint adhesion.
Can also be stained.

FULL LITE

6'8"



DRS1S



2'0" x 6'8" L
2'6" x 6'8" L
2'8" x 6'8" L M
2'10" x 6'8"
3'0" x 6'8" L M S H D P
3'6" x 6'8"
4'0" x 6'8"

7'0"



DRS1S70



2'0" x 7'0"
2'6" x 7'0"
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0" L

8'0"




DRS1S80



2'0" x 8'0" L
2'6" x 8'0" L M
2'8" x 8'0" L M
2'10" x 8'0"
3'0" x 8'0" L M S H D P
3'6" x 8'0"
4'0" x 8'0"

6'8"



SLS1S

1'0" x 6'8" L M S H D P
1'2" x 6'8" L M S H D P

8'0"



SLS1S80


1'0" x 8'0" L M S H D P
1'2" x 8'0" L M S H D P

SIDELITES

KEY:  STOCKING SIZE  EXTENDED LEAD TIME  ADA COMPLIANT 10" BOTTOM RAIL  HVHZ IMPACT RATED MODEL AVAILABLE
Stocking impact glass may differ from standard offering.

STANDARD GLASS OPTIONS*

*Approximate representations, actual product may vary. Also available in HVHZ Impact Glass.



LowE 272 (Impact LowE 366)

Privacy Rating 1

L = STOCKING GLASS



MINI BLIND

M = STOCKING GLASS



TRANSLUCENT

Privacy Rating 10

T = STOCKING GLASS



FLEMISH

Privacy Rating 5

F = STOCKING GLASS



CHORD

Privacy Rating 8

C = STOCKING GLASS




RAIN

Privacy Rating 9

R = STOCKING GLASS


FEATURES & BENEFITS

- 1 COMPOSITE STILE CAP
- 2 FULL LENGTH LVL
(Hinge & Strike side, for extra rigidity)
- 3 WOOD BLOCKING
(For structural support in HVHZ Impact models)
- 4 STEEL BEAM
(Hinge & Strike side, for extra rigidity in all 8'0" and HVHZ Impact models)
- 5 INSULATED 1" GLASS
- 6 COMPRESSION MOLDED FIBERGLASS SKIN
- 7 BRUSH FINISHED TEXTURE
- 8 INTEGRALLY MOLDED GLASS STOP
- 9 HIGH DENSITY POLYURETHANE FOAM
- 10 ADA COMPLIANT BOTTOM RAIL
- 11 COMPOSITE BOTTOM RAIL



TO SEE THE FULL FLORIDA BUILDING CODE APPROVAL DOCUMENT, VISIT WWW.FLORIDABUILDING.ORG. THE NOVA 90 FL# IS 28093, 28095 & 29714.

DECO GLASS OPTIONS




SONATA

S = STOCKING GLASS




CHAPELLE

H = STOCKING GLASS



LANDCASTER

D = STOCKING GLASS



TRIOMPHE

P = STOCKING GLASS

ONYX FULL LITE

6'8"



DRB1S
2'0" x 6'8"
2'6" x 6'8" L
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" L
3'6" x 6'8"
4'0" x 6'8"

8'0"




DRB1S80
2'0" x 8'0"
2'6" x 8'0" L
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" L
3'6" x 8'0"
4'0" x 8'0"

6'8"



SLB1S
1'0" x 6'8"
1'2" x 6'8"

8'0"



SLB1S80
1'0" x 8'0"
1'2" x 8'0"


KEY: ■ STOCKING SIZE ■ EXTENDED LEAD TIME ♿ ADA COMPLIANT 10" BOTTOM RAIL ♿ HVHZ IMPACT RATED MODEL AVAILABLE
Stocking impact glass may differ from standard offering.

STANDARD GLASS OPTIONS*

**Approximate representations, actual product may vary. Also available in HVHZ Impact Glass.*



LowE 272 (Impact LowE 366)
Privacy Rating 1
L = STOCKING GLASS



MINI BLIND
M = STOCKING GLASS



TRANSLUCENT
Privacy Rating 10
T = STOCKING GLASS



FLEMISH
Privacy Rating 5
F = STOCKING GLASS



CHORD
Privacy Rating 8
C = STOCKING GLASS




RAIN
Privacy Rating 9
R = STOCKING GLASS

PRE-PIGMENTED ONYX SKIN

A bold, powerful, and sophisticated black, ONYX pre-pigmented fiberglass gives you enduring and impactful color that is built into the door itself. Because the pigment permeates the entire fiberglass skin, it won't chip or flake like paint. Applying a top coat after installation keeps your door looking vibrant and elegant for years.



DECO GLASS OPTIONS




SONATA

S = STOCKING GLASS




CHAPELLE

H = STOCKING GLASS



LANDCASTER

D = STOCKING GLASS



TRIOMPHE

P = STOCKING GLASS





3/4 LITE

Our Nova 90 3/4 Lite allows you to enjoy a large amount of natural light in your home with added privacy compared to the full lite model. Direct glazed glass creates a seamless and elegant design with a clean shaker profile for a modern look. With multiple sizes and glass options available, there is something for everyone.



Brushed Smooth Texture:

Subtle grain appearance.
Excellent paint adhesion.
Can also be stained.




Panel Detail

3/4 LITE

6'8"



8'0"



6'8"



8'0"



SIDELITES

DRS1E



2'6" x 6'8" L
2'8" x 6'8" LTR
2'10" x 6'8"
3'0" x 6'8" LMTRSDT

DRS1E80



2'6" x 8'0" L
2'8" x 8'0" LTR
2'10" x 8'0"
3'0" x 8'0" LMTRSDT

SLS1E

1'0" x 6'8" LSDT
1'2" x 6'8" LSDT


SLS1E80

1'0" x 8'0" LSDT
1'2" x 8'0" LSDT

KEY:  STOCKING SIZE  EXTENDED LEAD TIME  ADA COMPLIANT 10" BOTTOM RAIL  HVHZ IMPACT RATED MODEL AVAILABLE
Stocking impact glass may differ from standard offering.

STANDARD GLASS OPTIONS*


*Approximate representations, actual product may vary. Also available in HVHZ Impact Glass.



LowE 272 (Impact LowE 366)

Privacy Rating 1

L = STOCKING GLASS



MINI BLIND

M = STOCKING GLASS



TRANSLUCENT

Privacy Rating 10

T = STOCKING GLASS



FLEMISH

Privacy Rating 5

F = STOCKING GLASS



CHORD

Privacy Rating 8

C = STOCKING GLASS





RAIN

Privacy Rating 9

R = STOCKING GLASS


FEATURES & BENEFITS

- 1 **COMPOSITE STILE CAP**
- 2 **FULL LENGTH LVL**
(Hinge & Strike side, for extra rigidity)
- 3 **WOOD BLOCKING**
(For structural support in HVHZ Impact models)
- 4 **STEEL BEAM**
(Hinge & Strike side, for extra rigidity in all 8'0" and HVHZ Impact models)
- 5 **INSULATED 1" GLASS**
- 6 **COMPRESSION MOLDED FIBERGLASS SKIN**
- 7 **BRUSH FINISHED TEXTURE**
- 8 **INTEGRALLY MOLDED GLASS STOP**
- 9 **HIGH DENSITY POLYURETHANE FOAM**
- 10 **ADA COMPLIANT BOTTOM RAIL**
- 11 **COMPOSITE BOTTOM RAIL**




TO SEE THE FULL FLORIDA BUILDING CODE APPROVAL DOCUMENT, VISIT WWW.FLORIDABUILDING.ORG. THE NOVA 90 FL# IS 28093, 28095 & 29714.

DECO GLASS OPTIONS




SONATA

S = STOCKING GLASS



LANDCASTER

D = STOCKING GLASS




TRIOMPHE


P = STOCKING GLASS

ONYX 3/4 LITE

6'8"



8'0"



6'8"



8'0"



SIDELITES

DRB1E

2'6" x 6'8" L F R

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8" L F R

DRB1E80

2'6" x 8'0" L F R

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0" L F R

SLB1E

1'0" x 6'8"

1'2" x 6'8"

SLB1E80

1'0" x 8'0"

1'2" x 8'0"

KEY: ■ STOCKING SIZE ■ EXTENDED LEAD TIME ♿ ADA COMPLIANT 10" BOTTOM RAIL 🔒 HVHZ IMPACT RATED MODEL AVAILABLE
Stocking impact glass may differ from standard offering.

STANDARD GLASS OPTIONS*

*Approximate representations, actual product may vary. Also available in HVHZ Impact Glass.



LowE 272

(Impact LowE 366)

Privacy Rating 1

L = STOCKING GLASS



MINI BLIND

M = STOCKING GLASS



TRANSLUCENT

Privacy Rating 10

T = STOCKING GLASS



FLEMISH

Privacy Rating 5

F = STOCKING GLASS



CHORD

Privacy Rating 8

C = STOCKING GLASS



RAIN

Privacy Rating 9


R = STOCKING GLASS

PRE-PIGMENTED ONYX SKIN

A bold, powerful, and sophisticated black, ONYX pre-pigmented fiberglass gives you enduring and impactful color that is built into the door itself. Because the pigment permeates the entire fiberglass skin, it won't chip or flake like paint. Applying a top coat after installation keeps your door looking vibrant and elegant for years.




DECO GLASS OPTIONS




SONATA

S = STOCKING GLASS



LANDCASTER


D = STOCKING GLASS



TRIOMPHE

P = STOCKING GLASS





1/2 LITE

Our Nova 90 1/2 Lite is a modern twist on a classic door. Direct glazed glass creates a seamless and elegant design with a clean shaker profile, perfect for the homeowner who wants natural light and privacy. With multiple sizes and glass options available, there is something for everyone.



Brushed Smooth Texture:

Subtle grain appearance.
Excellent paint adhesion.
Can also be stained.



Panel Detail

1/2 LITE

6'8"



8'0"



6'8"



8'0"



SIDELITES

DRS1H

2'8" x 6'8" L
3'0" x 6'8" LTFRSDP

DRS1H80

2'6" x 8'0" L
3'0" x 8'0" LTFRSDP

SLS1H


1'0" x 6'8" LTFRSDP
1'2" x 6'8" LSDP

SLS1H80

1'0" x 8'0" LTFRSDP
1'2" x 8'0" LSDP

KEY:  STOCKING SIZE  EXTENDED LEAD TIME  ADA COMPLIANT 10" BOTTOM RAIL  HVHZ IMPACT RATED MODEL AVAILABLE
Stocking impact glass may differ from standard offering.

STANDARD GLASS OPTIONS*



LowE 272 (Impact LowE 366)

Privacy Rating 1

L = STOCKING GLASS



MINI BLIND

M = STOCKING GLASS



TRANSLUCENT

Privacy Rating 10

T = STOCKING GLASS



FLEMISH

Privacy Rating 5


F = STOCKING GLASS



CHORD

Privacy Rating 8

C = STOCKING GLASS



RAIN


Privacy Rating 9

R = STOCKING GLASS

*Approximate representations, actual product may vary. Also available in HVHZ Impact Glass.


FEATURES & BENEFITS

- 1 COMPOSITE STILE CAP
- 2 FULL LENGTH LVL
(Hinge & Strike side, for extra rigidity)
- 3 WOOD BLOCKING
(For structural support in HVHZ Impact models)
- 4 STEEL BEAM
(Hinge & Strike side, for extra rigidity in all 8'0" and HVHZ Impact models)
- 5 INSULATED 1" GLASS
- 6 COMPRESSION MOLDED FIBERGLASS SKIN
- 7 BRUSH FINISHED TEXTURE
- 8 INTEGRALLY MOLDED GLASS STOP
- 9 HIGH DENSITY POLYURETHANE FOAM
- 10 ADA COMPLIANT BOTTOM RAIL
- 11 COMPOSITE BOTTOM RAIL



TO SEE THE FULL FLORIDA BUILDING CODE APPROVAL DOCUMENT, VISIT WWW.FLORIDABUILDING.ORG. THE NOVA 90 FL# IS 28093, 28095 & 29714.

DECO GLASS OPTIONS




SONATA

S = STOCKING GLASS



LANDCASTER

D = STOCKING GLASS




TRIOMPHE

P = STOCKING GLASS

ONYX 1/2 LITE

6'8"



DRB1H
2'8" x 6'8"
3'0" x 6'8" LFR

8'0"



DRB1H80
2'6" x 8'0"
3'0" x 8'0" LFR

6'8"



SLB1H
1'0" x 6'8" LFR
1'2" x 6'8"

8'0"



SLB1H80
1'0" x 8'0" LFR
1'2" x 8'0"

SIDELITES

KEY: ■ STOCKING SIZE ■ EXTENDED LEAD TIME ♿ ADA COMPLIANT 10" BOTTOM RAIL 🔒 HVHZ IMPACT RATED MODEL AVAILABLE
Stocking impact glass may differ from standard offering.

STANDARD GLASS OPTIONS*

*Approximate representations, actual product may vary. Also available in HVHZ Impact Glass.



LowE 272 (Impact LowE 366)
Privacy Rating 1
L = STOCKING GLASS



MINI BLIND
M = STOCKING GLASS



TRANSLUCENT
Privacy Rating 10
T = STOCKING GLASS



FLEMISH
Privacy Rating 5
F = STOCKING GLASS



CHORD
Privacy Rating 8
C = STOCKING GLASS




RAIN
Privacy Rating 9
R = STOCKING GLASS

PRE-PIGMENTED ONYX SKIN

A bold, powerful, and sophisticated black, ONYX pre-pigmented fiberglass gives you enduring and impactful color that is built into the door itself. Because the pigment permeates the entire fiberglass skin, it won't chip or flake like paint. Applying a top coat after installation keeps your door looking vibrant and elegant for years.




DECO GLASS OPTIONS




SONATA

S = STOCKING GLASS



LANDCASTER

D = STOCKING GLASS



TRIOMPHE

P = STOCKING GLASS


ACCESSORIES

SDL bars are a popular accessory for Plastpro’s Nova 90 series. SDL stands for Simulated Divided Lights, which are decorative bars applied to both the interior and exterior surfaces of the glass to give the appearance of individual panes, rather than being built into the door itself. SDL bars come in a number of different sizes and can be configured in many different styles to elevate and enhance the beauty of an entryway.

SDL Bars are applied by Plastpro distributors and dealers. Size, styles, and configurations vary by region. Check with your local dealer to see what options are available in your area.

COMMON SIZES:

SDL 1" Profile




SDL 3.5" Profile




SDL 5" Profile




FULL LITE CONFIGURATIONS




4 Lite 6'8"




6 Lite 6'8"




8 Lite 6'8"




Prairie 6'8"




9 Lite 6'8"




12 Lite 6'8"




3 Lite Stack 6'8"




4 Lite Stack 6'8"




4 Lite 8'0"




6 Lite 8'0"




8 Lite 8'0"




Prairie 8'0"




9 Lite 8'0"



12 Lite 8'0"




4 Lite Stack 8'0"




5 Lite Stack 8'0"

3/4 LITE CONFIGURATIONS




4 Lite 6'8"




6 Lite 6'8"




8 Lite 6'8"




Prairie 6'8"




9 Lite 6'8"




4 Lite 8'0"



6 Lite 8'0"




8 Lite 8'0"



Prairie 8'0"




9 Lite 8'0"




12 Lite 8'0"


1/2 LITE CONFIGURATIONS




4 Lite 6'8"




6 Lite 6'8"



Prairie 6'8"



9 Lite 6'8"




4 Lite 8'0"



6 Lite 8'0"



8 Lite 8'0"



Prairie 8'0"



9 Lite 8'0"



12 Lite 8'0"

